

TREASURY DEPARTMENT
UNITED STATES PUBLIC HEALTH SERVICE
HUGH S. CUMMING, SURGEON GENERAL

PUBLIC LIBRARY
ST. 80
DETROIT, MICH.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1926 IN CITIES
OF OVER 100,000

SUPPLEMENT No. 63
TO THE
PUBLIC HEALTH REPORTS



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON

1927

27-30778
PUBLIC LIBRARY
DETROIT, MICH.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1906 IN CHINA
OF OVER 100,000

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
10 CENTS PER COPY



GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1926 IN CITIES OF OVER 100,000¹

The following tables were compiled from data furnished by the health officers of the cities.

The following is a list of the diseases included:

Anthrax.	Poliomyelitis.
Chicken pox.	Rabies in animals.
Dengue.	Rabies in man.
Diphtheria.	Scarlet fever.
Influenza.	Septic sore throat.
Lethargic encephalitis.	Smallpox.
Malaria.	Tuberculosis (all forms and respiratory system).
Measles.	Typhoid fever.
Meningococcus meningitis.	Typhus fever.
Mumps.	Whooping cough.
Pellagra.	
Pneumonia (all forms).	

The populations given, and which were used in computing the rates, were estimated as of July 1, 1926. Estimates of population by the Bureau of the Census are based upon the assumption that the annual increase in the population of any city since 1920 is equal to the annual increase between 1910 and 1920 as shown by the returns of the two Federal censuses. This method gives an estimate which is approximately correct for most of the cities. In a few cases, however, where there is reason to believe that the results thus obtained are far from correct, no estimate is made. The number of cases and deaths occurring from each disease in these cities is given but no rates are computed.

The estimated expectancy given in the tables for some of the diseases is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1926. In most instances the estimated expectancy is the median number of cases reported by the city for the years 1919 to 1925, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the nonepidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years later than 1918 for which data were available for each city.

¹ Data for cities having 10,000 to 100,000 population are published in Supplement No. 64.

In comparing the figures for 1926 with the estimated expectancy, averages, or with reports for preceding years, it should be borne in mind that for several years there has been a gradual improvement in the reporting of communicable diseases. An increase in the number of cases reported may be due to better reporting rather than to an increase in the number of cases occurring.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of the city reporting is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city; that the physicians did not treat the disease in that city with the success usual elsewhere; or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild; that the physicians treated it with unusual success; that the practicing physicians reported their cases satisfactorily; or that the registration of deaths was incomplete or the assignment of the causes of death inaccurate.

Cities which did not report either cases or deaths of a certain disease in 1926 (except smallpox) are not included in the table for that disease.

The following table gives a comparison of the rates for some of the principal communicable diseases in the large cities of the United States for the years 1922, 1923, 1924, 1925, and 1926:

	Cases		Deaths	
	Number of cities	Cases per 1,000 population	Number of cities	Deaths per 1,000 population
Chicken pox:				
1922.....	68	1.69	68	0.001
1923.....	77	2.02	77	.001
1924.....	82	2.45	82	.001
1925.....	69	1.89	69	.001
1926.....	68	2.24	68	.001
Diphtheria:				
1922.....	73	2.25	73	.16
1923.....	77	1.97	77	.13
1924.....	82	1.67	83	.11
1925.....	69	1.39	69	.10
1926.....	70	1.33	70	.10
Influenza:				
1922.....			70	.16
1923.....			77	.21
1924.....			80	.10
1925.....			66	.15
1926.....			66	.24
Lethargic encephalitis:				
1924.....			68	.02
1925.....			58	.02
1926.....			59	.02

	Cases		Deaths	
	Number of cities	Cases per 1,000 population	Number of cities	Deaths per 1,000 population
Measles:				
1922.....	72	5.26	72	0.08
1923.....	77	7.11	77	.08
1924.....	80	4.36	83	.05
1925.....	69	3.32	69	.03
1926.....	70	7.92	70	.08
Mumps:				
1922.....	66	.72	66	.0005
1923.....	69	.75	69	.0005
1924.....	75	1.66	76	.0006
1925.....	66	.67	66	.0006
1926.....	63	.76	63	.0009
Pneumonia (all forms):				
1922.....			74	1.36
1923.....			75	1.51
1924.....			83	1.35
1925.....			68	1.33
1926.....			69	1.45
Poliomyelitis:				
1924.....	66	.07	72	.01
1925.....	63	.05	63	.01
1926.....	62	.03	62	.01
Scarlet fever:				
1922.....	73	1.80	73	.03
1923.....	77	2.07	77	.04
1924.....	82	2.15	82	.03
1925.....	68	2.26	68	.03
1926.....	70	2.13	70	.02
Smallpox:				
1922.....	75	.17	75	.0119
1923.....	78	.18	78	.0014
1924.....	83	.50	83	.0165
1925.....	69	.25	69	.0139
1926.....	70	.16	70	.0009
Tuberculosis (all forms):				
1922.....			72	1.01
1923.....			77	.98
1924.....			82	.96
1925.....			69	.93
1926.....			69	.90
Tuberculosis (respiratory system):				
1922.....			64	.87
1923.....			67	.85
1924.....			70	.82
1925.....			60	.79
1926.....			61	.78
Typhoid fever:				
1922.....	73	.19	73	.0329
1923.....	77	.19	77	.0327
1924.....	81	.22	83	.0341
1925.....	68	.21	69	.0348
1926.....	69	.16	69	.0277
Whooping cough:				
1923.....	76	1.67	76	.06
1924.....	77	1.56	81	.05
1925.....	65	1.68	68	.06
1926.....	67	1.92	67	.06

Reported Prevalence for the Year 1926

ANTHRAX

City	Cases reported, 1926	Deaths registered, 1926	City	Cases reported, 1926	Deaths registered, 1926
California:			Ohio:		
Los Angeles.....	2	1	Akron.....	1	0
San Diego.....	1	0	Cincinnati.....	1	0
Delaware:			Cleveland.....	1	0
Wilmington.....	6		Pennsylvania:		
Louisiana:			Philadelphia.....	15	2
New Orleans.....	1	0	Pittsburgh.....		1
Massachusetts:			Rhode Island:		
Lynn.....	4	0	Providence.....	1	1
Worcester.....	3	1	Texas:		
New Jersey:			Houston.....	2	0
Camden.....	10	11			
Newark.....	2				
New York:					
New York.....	1	0			
Yonkers.....	1	0			

¹ Nonresident.

CHICKEN POX

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Birmingham.....	211,000	278	470	2.23	0		
California:							
Los Angeles.....		1,907	2,173		0		
Oakland.....	261,000	387	1,430	5.48	0		
San Diego.....	110,000	410	359	3.26	0		
San Francisco.....	567,000	1,268	¹ 1,542	¹ 2.72	1	0.00	1,542.0
Colorado:							
Denver.....	285,000	² 966	989	3.47	1	.00	989.0
Connecticut:							
Bridgeport.....		120	72		0		
Hartford.....	154,000	223	220	1.34	0		
New Haven.....	182,000	² 454	595	3.27	0		
Waterbury.....		68	37		0		
Delaware:							
Wilmington.....	124,000	147	149	1.20	0		
District of Columbia:							
Washington.....	528,000	1,212	1,035	1.96	0		
Florida:							
Miami.....	³ 131,000	² 22	⁴ 145	1.11	0		
Tampa.....	102,000	19	116	1.14	0		
Georgia:							
Atlanta.....		103	166		0		
Illinois:							
Chicago.....	3,048,000	4,374	5,191	1.70	4	.00	1,297.7
Indiana:							
Indianapolis.....	367,000	1,138	1,106	3.01	0		
Iowa:							
Des Moines.....	146,000	² 22	14	.10	1	.01	14.0
Kansas:							
Kansas City.....	117,000	285	297	2.54	0		
Louisiana:							
New Orleans.....	419,000	³ 135	93	.22	0		
Maryland:							
Baltimore.....	808,000	2,896	3,025	3.74	1	.00	3,025.0
Massachusetts:							
Boston.....	787,000	1,654	2,117	2.69	4	.01	529.2
Cambridge.....	122,000	508	499	4.09	0		
Fall River.....	131,000	116	93	.71	0		
Lowell.....		82	83		0		
Lynn.....	104,000	77	106	1.02	0		
Somerville.....	100,000	112	151	1.51	0		
Springfield.....	145,000	239	304	2.10	0		
Worcester.....	193,000	378	349	1.81	0		

¹ Residents only.² Three years only.³ Special census, Dec. 6, 1926.⁴ Includes 3 nonresidents.⁵ Two years only.

Reported prevalence for the year 1926—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan:							
Detroit.....	1,290,000	2,338	2,676	2.07	6	0.00	446.0
Flint.....	136,000	340	600	4.41	2	.01	300.0
Grand Rapids.....	156,000	284	276	1.77	0		
Minnesota:							
Minneapolis.....	434,000	2,517	3,888	8.96	0		
St. Paul.....	248,000	1,059	1,263	5.09	0		
Missouri:							
Kansas City.....	375,000	437	1,002	2.67	0		
St. Louis.....	830,000	1,117	1,102	1.33	0		
Nebraska:							
Omaha.....	216,000	272	406	1.88	0		
New Jersey:							
Camden.....	131,000	181	1,325	12.48	0		
Elizabeth.....		265	241		0		
Jersey City.....	318,000	201	163	.51	0		
Newark.....	459,000	1,426	1,813	3.95	0		
Paterson.....	143,000	335	432	3.02	0		
Trenton.....	134,000	122	6130	6.97	0		
New York:							
Albany.....	119,000	386	585	4.92	0		
Buffalo.....	544,000	874	1,081	1.99	0		
New York.....	5,924,000	7,554	6,757	1.14	0		
Rochester.....	321,000	377	464	1.45	0		
Syracuse.....	185,000	508	6552	6.27	0		
Utica.....	103,000	256	184	1.79	0		
Yonkers.....	116,000	190	250	2.16	0		
Ohio:							
Akron.....		323	286		1		286.0
Canton.....	110,000	376	311	2.83	0		
Cincinnati.....	411,000	497	425	1.03	0		
Cleveland.....	960,000	2,666	2,186	2.28	0		
Columbus.....	285,000	311	463	1.62	0		
Dayton.....	177,000	135	106	.60	0		
Toledo.....	295,000	1,117	1,849	6.27	1	.00	1,849.0
Youngstown.....	165,000	328	392	2.38	0		
Oklahoma:							
Oklahoma City.....		114	75		0		
Oregon:							
Portland.....		519	696		0		
Pennsylvania:							
Erie.....		455	539		0		
Philadelphia.....	2,008,000	4,054	4,535	2.26	4	.00	1,133.7
Pittsburgh.....	637,000	2,113	61,802	6.23	0		
Reading.....	114,000	407	404	3.54	0		
Scranton.....	143,000	109	139	.97	0		
Rhode Island:							
Providence.....	275,000	118	112	.41	1	.00	112.0
Tennessee:							
Memphis.....	177,000	454	683	3.86	1	.01	683.0
Nashville.....	137,000	72	82	.60	0		
Texas:							
Dallas.....	203,000	509	655	3.23	0		
El Paso.....	109,000	258	210	1.93	0		
Fort Worth.....	159,000	85	188	1.18	0		
Houston.....		44	53		0		
San Antonio.....	205,000	22	17	.08	0		
Utah:							
Salt Lake City.....	133,000	1,084	967	7.27	1	.01	967.0
Virginia:							
Norfolk.....	174,000	281	526	3.02	0		
Richmond.....	189,000	205	181	.96	0		
Washington:							
Seattle.....		1,132	1,483		0		
Spokane.....	109,000	584	775	7.11	0		
Tacoma.....	106,000	212	282	2.66	0		
Wisconsin:							
Milwaukee.....	517,000	2,100	3,542	6.85	0		
Total:							
68 cities.....	29,132,000	56,191	65,176	2.24	28	.00	2,327.7
80 cities.....		61,323	71,080		29		2,451.1

¹ Residents only.² 3 years only.³ Includes nonresidents.

Reported prevalence for the year 1926—Continued

DENGUE

City	Cases reported, 1926	Deaths registered, 1926	City	Cases reported, 1926	Deaths registered, 1926
Alabama:			Georgia:		
Birmingham.....	1	0	Atlanta.....	3	0
Florida:			Texas:		
Miami.....	2	0	Dallas.....	1	0
			Houston.....	1	0

DIPHThERIA

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	211,000	7	216	190	0.90	6	0.03	3.2
California:								
Los Angeles.....		7	2,515	1,988		74		3.7
Oakland.....	261,000	7	534	304	1.16	18	.07	5.9
San Diego.....	110,000	7	123	251	2.28	11	.10	4.4
San Francisco.....	567,000	7	1,272	1,612	1.08	31	.05	5.1
Colorado:								
Denver.....	285,000	7	734	516	1.81	30	.11	5.8
Connecticut:								
Bridgeport.....		7	430	168		11		6.5
Hartford.....	164,000	7	374	111	.68	8	.05	7.2
New Haven.....	182,000	7	209	29	.16	1	.01	3.4
Waterbury.....		7	275	79		2		2.5
Delaware:								
Wilmington.....	124,000	7	157	219	1.77	7	.06	3.2
District of Columbia:								
Washington.....	528,000	7	713	940	1.78	29	.05	3.1
Florida:								
Miami.....	131,000	5	35	227	1.73	13	.10	5.7
Tampa.....	102,000	5	51	95	.93	10	.10	10.5
Georgia:								
Atlanta.....		7	223	370		29		7.8
Illinois:								
Chicago.....	3,048,000	4	4,699	2,540	.83	224	.07	8.8
Indiana:								
Indianapolis.....	367,000	7	430	476	1.30	22	.06	4.6
Iowa:								
Des Moines.....	146,000	5	188	87	.60	12	.08	13.8
Kansas:								
Kansas City.....	117,000	7	188	104	.89	4	.03	3.8
Kentucky:								
Louisville.....	311,000	7	538	151	.49	8	.03	5.3
Louisiana:								
New Orleans.....	419,000	7	433	338	.81	30	.07	8.9
Maryland:								
Baltimore.....	808,000	7	1,423	838	1.04	59	.07	7.0
Massachusetts:								
Boston.....	787,000	7	2,670	982	1.25	54	.09	5.5
Cambridge.....	122,000	7	227	51	.42	1	.01	2.0
Fall River.....	131,000	7	223	149	1.14	18	.14	12.1
Lowell.....		7	213	73		6		8.2
Lynn.....	104,000	6	200	90	.87	13	.12	14.4
New Bedford.....		7	144	115		15		13.0
Somerville.....	100,000	7	197	82	.82	10	.10	12.2
Springfield.....	145,000	7	164	49	.34	6	.04	12.2
Worcester.....	193,000	7	309	269	1.39	15	.08	5.6
Michigan:								
Detroit.....	1,290,000	7	2,779	3,181	2.47	450	.35	14.1
Flint.....	136,000	7	492	136	1.00	4	.03	2.9
Grand Rapids.....	156,000	7	307	54	.35	5	.03	9.3

¹ Residents only.² Special census, Dec. 9, 1926.³ Includes 4 nonresidents.⁴ Includes 2 nonresidents.

Reported prevalence for the year 1926—Continued

DIPHTHERIA—Continued.

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Minnesota:								
Duluth.....	113,000	7	191	47	0.42	4	0.04	8.5
Minneapolis.....	434,000	7	1,275	1,470	3.39	75	.17	5.1
St. Paul.....	248,000	7	895	481	1.94	20	.08	4.2
Missouri:								
Kansas City.....	375,000	7	516	198	.53	16	.04	8.1
St. Louis.....	830,000	7	2,131	2,286	2.75	109	.13	4.8
Nebraska:								
Omaha.....	216,000	6	366	96	.44	9	.04	9.4
New Jersey:								
Camden.....	131,000	7	247	1 327	1 2.50	1 26	1.20	8.0
Elizabeth.....	4	278	409	13				3.2
Jersey City.....	318,000	7	934	523	1.64	32	.10	6.1
Newark.....	459,000	7	771	408	.89	21	.05	5.1
Paterson.....	143,000	7	292	135	.94	8	.06	5.9
Trenton.....	134,000	7	247	85	.63	8	.06	9.4
New York:								
Albany.....	119,000	7	212	70	.59	5	.04	7.1
Buffalo.....	544,000	7	775	486	.89	29	.05	6.0
New York.....	5,924,000	7	10,427	7,531	1.27	477	.08	6.3
Rochester.....	321,000	7	499	510	1.59	31	.10	6.1
Syracuse.....	185,000	7	454	109	.50	3	.02	2.8
Utica.....	103,000	7	322	359	3.49	23	.22	6.4
Yonkers.....	116,000	7	227	248	2.14	15	.13	6.0
Ohio:								
Akron.....	7	294	244			7		2.9
Canton.....	110,000	7	213	67	.61	2	.02	3.0
Cincinnati.....	411,000	7	643	387	.94	18	.04	4.7
Cleveland.....	960,000	7	1,746	2,281	2.38	192	.20	8.4
Columbus.....	285,000	7	348	447	1.57	30	.11	6.7
Dayton.....	177,000	7	211	185	1.05	13	.07	7.0
Toledo.....	295,000	7	728	250	.85	25	.08	10.0
Youngstown.....	165,000	7	202	38	.23	1	.01	2.6
Oklahoma:								
Oklahoma City.....		6	117	52		6		11.5
Oregon:								
Portland.....	7	604	455			24		5.3
Pennsylvania:								
Erie.....	7	196	207			10		4.8
Philadelphia.....	2,008,000	7	3,382	2,750	1.37	272	.14	9.9
Pittsburgh.....	637,000	7	1,321	706	1.11	59	.09	8.4
Reading.....	114,000	7	200	37	.32	3	.03	8.1
Scranton.....	143,000	7	204	153	1.07	11	.08	7.2
Rhode Island:								
Providence.....	275,000	7	462	236	.86	22	.08	9.3
Tennessee:								
Memphis.....	177,000	7	379	206	1.16	16	.09	7.8
Nashville.....	137,000	7	81	259	1.89	28	.20	10.8
Texas:								
Dallas.....	203,000	7	338	549	2.70	24	.12	4.4
El Paso.....	109,000	4	61	22	.20	3	.03	13.6
Fort Worth.....	159,000	7	139	168	1.06	14	.09	8.3
Houston.....	7	184	383			28		7.3
San Antonio.....	205,000	6	175	133	.65	11	.05	8.3
Utah:								
Salt Lake City.....	133,000	7	166	269	2.02	20	.15	7.4
Virginia:								
Norfolk.....	174,000	7	145	47	.27	3	.02	6.4
Richmond.....	189,000	7	418	438	2.32	26	.14	5.9
Washington:								
Seattle.....	7	380	188			8		4.3
Spokane.....	109,000	6	234	118	1.08	8	.07	6.8
Tacoma.....	106,000	7	160	291	2.75	18	.17	6.2
Wisconsin:								
Milwaukee.....	517,000	7	1,017	792	1.53	51	.10	6.4
Total:								
70 cities.....	29,556,000		53,639	39,269	1.33	2,880	.10	7.3
83 cities.....			59,492	44,000		3,113		7.1

¹ Residents only.² Includes 4 nonresidents.³ Includes nonresidents.⁴ Includes 28 nonresidents.

Reported prevalence for the year 1926—Continued

INFLUENZA

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	211,000	1,248	5.91	203	0.96	6.1
California:						
Los Angeles.....		945		71		13.3
Oakland.....	261,000	86	.33	30	.11	2.9
San Diego.....	110,000	51	.46	32	.29	1.6
San Francisco.....	567,000	1,250	1.44	118	.21	2.1
Colorado:						
Denver.....	285,000			155	.54	---
Connecticut:						
Bridgeport.....		159		79		2.0
Hartford.....	164,000	67	.41	26	.16	2.6
New Haven.....	182,000	62	.34	17	.09	3.6
Waterbury.....		74		31		2.4
District of Columbia:						
Washington.....	528,000	174	.33	131	.25	1.3
Florida:						
Miami.....	131,000	83	.63	58	.40	1.6
Tampa.....	102,000			34	.33	---
Georgia:						
Atlanta.....		1,728		60		25.0
Illinois:						
Chicago.....	3,048,000	1,967	.65	405	.13	4.9
Indiana:						
Indianapolis.....	367,000			47	.13	---
Iowa:						
Des Moines.....	146,000			56	.38	---
Kansas:						
Kansas City.....	117,000			22	.19	---
Kentucky:						
Louisville.....	311,000	243	.78	9	.03	27.0
Louisiana:						
New Orleans.....	419,000	700	1.67	400	.95	1.8
Maryland:						
Baltimore.....	808,000	3,890	4.81	246	.30	15.8
Massachusetts:						
Boston.....	787,000	411	.52	76	.10	5.4
Cambridge.....	122,000	100	.82	17	.14	5.9
Fall River.....	131,000	96	.73	28	.21	3.4
Lowell.....		26		3		8.7
Lynn.....	104,000	14	.13	5	.05	2.8
New Bedford.....				22		---
Somerville.....	100,000	62	.62	12	.12	5.2
Springfield.....	145,000	45	.31	38	.26	1.2
Worcester.....	193,000	106	.55	20	.10	5.3
Michigan:						
Detroit.....	1,290,000			260	.20	---
Flint.....	136,000	40	.29	12	.09	3.3
Grand Rapids.....	156,000			34	.22	---
Minnesota:						
Minneapolis.....	434,000			53	.12	---
St. Paul.....	248,000			3	.01	---
Missouri:						
Kansas City.....	375,000			135	.36	---
St. Louis.....	830,000			94	.11	---
New Jersey:						
Camden.....	131,000			42	.32	---
Elizabeth.....				14		---
Jersey City.....	318,000			67	.21	---
Newark.....	459,000	396	.86	23	.05	17.2
Paterson.....	143,000	107	.75	24	.17	4.5
Trenton.....	134,000	142	1.06	45	.34	3.2
New York:						
Albany.....	119,000	1,583	13.30	55	.46	28.8
Buffalo.....	544,000	176	.32	92	.17	1.9
New York.....	5,924,000	5,911	1.00	1,157	.20	5.1
Rochester.....	321,000	252	.79	98	.31	2.6
Syracuse.....	185,000	281	1.52	22	.12	12.8
Utica.....	103,000	118	1.15	0		---
Yonkers.....	116,000			4	.03	---

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes nonresidents.

Reported prevalence for the year 1926—Continued

INFLUENZA—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio:						
Akron.....		46		20		2.3
Canton.....	110,000			15	0.14	
Cincinnati.....	411,000			191	.46	
Cleveland.....	960,000	1,697	1.77	232	.24	7.3
Columbus.....	285,000			49	.17	
Dayton.....	177,000			34	.19	
Toledo.....	295,000			83	.28	
Youngstown.....	165,000	862	5.22	30	.18	28.7
Oklahoma:						
Oklahoma City.....		640		30		21.3
Oregon:						
Portland.....		87		32		2.7
Pennsylvania:						
Erie.....				89		
Philadelphia.....	2,008,000			556	.28	
Pittsburgh.....	637,000			222	.35	
Reading.....	114,000			20	.18	
Scranton.....	143,000			19	.13	
Rhode Island:						
Providence.....	275,000	221	.80	61	.22	3.6
Tennessee:						
Memphis.....	177,000			122	.69	
Nashville.....	137,000			164	1.20	
Texas:						
Dallas.....	203,000	279	1.37	124	.61	2.3
El Paso.....	109,000			129	1.18	
Fort Worth.....	159,000			68	.43	
Houston.....				54		
San Antonio.....	205,000			66	.32	
Utah:						
Salt Lake City.....	133,000			38	.29	
Virginia:						
Richmond.....	189,000			93	.49	
Washington:						
Seattle.....				71		
Spokane.....	109,000	40	.37	32	.29	1.3
Tacoma.....	106,000			11	.10	
Wisconsin:						
Milwaukee.....	517,000	139	.27	79	.15	1.8
Total:						
35 cities.....	18,619,000	21,899	1.18	3,952	.21	5.5
66 cities.....	28,929,000			6,838	.24	
43 cities.....		25,604				
79 cities.....				7,423		

LETHARGIC ENCEPHALITIS

Alabama:						
Birmingham.....	211,000	11	0.05	6	0.03	1.8
California:						
Los Angeles.....		17		9		1.9
Oakland.....	261,000	7	.03	6	.02	1.2
San Francisco.....	567,000			13	.02	
Colorado:						
Denver.....	285,000			10	.04	
Connecticut:						
Bridgeport.....		5		3		1.7
Hartford.....	164,000	5	.03	2	.01	2.5
New Haven.....	182,000			3	.02	
Waterbury.....		2		2		1.0
District of Columbia:						
Washington.....	528,000	9	.02	5	.01	1.8
Florida:						
Miami.....	131,000	1	.01	0		
Tampa.....	102,000			2	.02	
Georgia:						
Atlanta.....				2		
Illinois:						
Chicago.....	3,048,000	34	.01	18	.01	1.9
Indiana:						
Indianapolis.....	367,000			2	.01	

² Special census Dec. 6, 1926.³ Includes nonresidents.⁴ Includes 12 nonresidents.

Reported prevalence for the year 1926—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Iowa:						
Des Moines.....	146,000			3	0.02	-----
Kansas:						
Kansas City.....	117,000	2	0.02	2	.02	1.0
Kentucky:						
Louisville.....	311,000	49	.16	5	.02	9.8
Louisiana:						
New Orleans.....	419,000	11	.03	8	.02	1.4
Maryland:						
Baltimore.....	808,000	35	.04	25	.03	1.4
Massachusetts:						
Boston.....	787,000	30	.04	18	.02	1.7
Cambridge.....	122,000	6	.05	6	.05	1.0
Fall River.....	131,000			3	.02	-----
Lowell.....		1		1		1.0
Lynn.....	104,000			3	.03	-----
New Bedford.....		1		0		-----
Somerville.....	100,000	3	.03	0		-----
Springfield.....	145,000	7	.05	4	.03	1.8
Worcester.....	193,000	4	.02	1	.01	4.0
Michigan:						
Detroit.....	1,290,000	41	.03	24	.02	1.7
Grand Rapids.....	156,000			3	.02	-----
Minnesota:						
Duluth.....	113,000	1	.01	1	.01	1.0
Minneapolis.....	434,000			9	.02	-----
Missouri:						
Kansas City.....	375,000			4	.01	-----
St. Louis.....	830,000			14	.02	-----
New Jersey:						
Camden.....	131,000			2	.02	-----
Elizabeth.....				7		-----
Jersey City.....	318,000			5	.02	-----
Newark.....	459,000	32	.07	9	.02	3.6
Paterson.....	143,000			4	.03	-----
Trenton.....	134,000			4	.03	-----
New York:						
Albany.....	119,000	2	.02	2	.02	1.0
Buffalo.....	544,000	4	.01	2	.00	2.0
New York.....	5,924,000	297	.05	183	.03	1.6
Rochester.....	321,000	6		0		-----
Syracuse.....	185,000	2	.01	1	.01	2.0
Yonkers.....	116,000	2	.02	2	.02	1.0
Ohio:						
Akron.....		2		0		-----
Canton.....	110,000			4	.04	-----
Cincinnati.....	411,000			3	.01	-----
Cleveland.....	960,000	16	.02	14	.01	1.1
Columbus.....	285,000			19	.07	-----
Toledo.....	295,000			7	.02	-----
Youngstown.....	165,000			1	.01	-----
Oregon:						
Portland.....				6		-----
Pennsylvania:						
Erie.....		1		1		1.0
Philadelphia.....	2,608,000	32	.02	26	.01	1.2
Pittsburgh.....	637,000			17	.03	-----
Reading.....	114,000			1	.01	-----
Rhode Island:						
Providence.....	275,000	9	.03	8	.03	1.1
Tennessee:						
Memphis.....	177,000	3	.02	3	.02	1.0
Texas:						
Dallas.....	203,000			4	.02	-----
El Paso.....	109,000	1	.01	1	.01	1.0
Houston.....				3		-----
Utah:						
Salt Lake City.....	133,000			4	.03	-----
Virginia:						
Norfolk.....	174,000	1	.01	1	.01	1.0
Richmond.....	189,000			3	.02	-----

* Includes nonresidents.

* Includes 2 nonresidents.

Reported prevalence for the year 1926—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Washington:						
Seattle.....		2		2		1.0
Spokane.....	109,000	11	0.10	11	0.10	1.0
Wisconsin:						
Milwaukee.....	517,000	7	.01	0		
Total:						
32 cities.....	20,745,000	681	.03	394	.02	1.7
58 cities.....	27,692,000			541	.02	
40 cities.....		712				
70 cities.....				577		

MALARIA

Alabama:						
Birmingham.....	211,000	11	0.05	7	0.03	1.6
California:						
Los Angeles.....		12		1		12.0
Oakland.....	261,000	1	.00	0		
San Diego.....	110,000	1	.01	0		
San Francisco.....	567,000	12	1.00	0		
Connecticut:						
New Haven.....	182,000	3	.02	0		
Florida:						
Miami.....	* 131,000	46	.35	8	.06	5.8
Tampa.....	102,000	9	.09	7	.07	1.3
Georgia:						
Atlanta.....		104		3		
Illinois:						
Chicago.....	3,045,000	7	.00	1	.00	7.0
Louisiana:						
New Orleans.....	410,000	34	.08	4	.01	8.5
Maryland:						
Baltimore.....	808,000	22	.03	2	.00	11.0
Massachusetts:						
Boston.....	787,000	8	.01	0		
Cambridge.....	122,000	1	.01	0		
Worcester.....	193,000	2	.01	0		
Michigan:						
Detroit.....	1,290,000	5	.00	2	.00	2.5
Missouri:						
Kansas City.....	375,000	1	.00	1	.00	1.0
St. Louis.....	830,000			4	.00	
New Jersey:						
Newark.....	459,000	4	.01	0		
New York:						
New York.....	5,924,000	30	.01	1	.00	30.0
Syracuse.....	185,000	1	.01	0		
Ohio:						
Cincinnati.....	411,000	1	.00	0		
Cleveland.....	960,000	9	.01	0		
Oklahoma:						
Oklahoma City.....		2		0		
Pennsylvania:						
Philadelphia.....	2,008,000	2	.00	0		
Tennessee:						
Memphis.....	177,000	* 346	* 1.95	7 20	7.11	17.3
Nashville.....	137,000	5	.04	0	0	
Texas:						
Dallas.....	203,000	15	.07	9	.04	1.7
El Paso.....	109,000			1	.01	
Fort Worth.....	159,000			1	.01	
Houston.....				7		
San Antonio.....	205,000	1	.00	0		
Virginia:						
Norfolk.....	171,000	6	.03	0		
Total:						
26 cities.....	19,449,000	573	.03	62	.00	8.7
29 cities.....	20,547,000			68	.00	
29 cities.....		691				
33 cities.....				79		

* Residents only.

* Special census, Dec. 6, 1926.

* Includes 55 nonresidents.

* Includes 10 nonresidents.

Reported prevalence for the year 1926—Continued

MEASLES

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	211,000	7	275	1,614	7.65	18	0.09	1.1
California:								
Los Angeles.....		5	1,435	520		5		1.0
Oakland.....	261,000	7	445	4,191	16.06	7	.03	.2
San Diego.....	110,000	7	104	304	2.76	0		
San Francisco.....	567,000	7	1,892	2 3,899	2 6.88	10	.02	.3
Colorado:								
Denver.....	285,000	5	853	888	3.12	0		
Connecticut:								
Bridgeport.....		7	409	691		27		3.9
Hartford.....	164,000	7	573	1,105	6.74	11	.07	1.0
New Haven.....	182,000	7	931	1,446	7.95	3	.02	.2
Waterbury.....		7	174	278		15		5.4
Delaware:								
Wilmington.....	124,000	7	198	643	5.19	4	.03	.6
District of Columbia:								
Washington.....	528,000	7	582	6,434	12.19	34	.06	.5
Florida:								
Miami.....	1 131,000	5	115	355	2.71	2	.02	.6
Tampa.....	102,000	5	174	112	1.10	2	.02	1.8
Georgia:								
Atlanta.....		5	192	511		7		1.4
Illinois:								
Chicago.....	3,048,000	7	11,673	6,853	2.25	58	.02	.8
Indiana:								
Indianapolis.....	367,000	7	1,101	11,539	31.44	26	.07	.2
Iowa:								
Des Moines.....	146,000	5	54	33	.23	4	.03	12.1
Kansas:								
Kansas City.....	117,000	7	290	1,363	11.65	2	.02	.1
Kentucky:								
Louisville.....	311,000	7	467	3,020	9.71	19	.06	.6
Louisiana:								
New Orleans.....	419,000	7	411	258	.62	4	.01	1.6
Maryland:								
Baltimore.....	808,000	6	3,256	12,628	15.63	106	.13	.8
Massachusetts:								
Boston.....	787,000	7	5,023	4,331	5.50	60	.08	1.4
Cambridge.....	122,000	7	911	721	5.91	3	.02	.4
Fall River.....	131,000	7	537	802	6.12	36	.27	4.5
Lowell.....		4	311	196		3		1.5
Lynn.....	104,000	6	417	504	4.85	7	.07	1.4
New Bedford.....		5	435	693		9		1.3
Somerville.....	100,600	7	489	552	5.52	6	.06	1.1
Springfield.....	145,000	5	289	2,156	14.87	31	.21	1.4
Worcester.....	193,000	6	570	1,021	5.29	7	.04	.7
Michigan:								
Detroit.....	1,290,000	5	2,453	15,355	11.90	297	.23	1.9
Flint.....	136,000	7	337	1,308	9.62	11	.08	.8
Grand Rapids.....	156,000	7	330	1,004	6.44	6	.04	.6
Minnesota:								
Duluth.....	113,000	7	175	1,258	11.13	2	.02	.2
Minneapolis.....	434,000	6	704	3,622	8.35	39	.09	1.1
St. Paul.....	248,000	7	764	3,510	14.15	21	.08	.6
Missouri:								
Kansas City.....	375,000	7	1,160	3,439	9.17	39	.10	1.1
St. Louis.....	830,000	5	797	10,080	12.14	94	.11	.9
Nebraska:								
Omaha.....	216,000	7	416	1,112	5.15	10	.05	.9
New Jersey:								
Camden.....	131,000	7	147	2 749	2 5.72	17	.13	2.3
Elizabeth.....		7	394	1,802		16		.9
Jersey City.....	318,000	7	588	1,171	3.68	35	.11	3.0
Newark.....	459,000	5	2,191	7,068	15.40	69	.15	1.0
Paterson.....	143,000	5	499	2,004	14.01	4	.03	.2
Trenton.....	134,000	7	300	2 669	2 4.99	2 13	2 10	1.9

1 Special census, Dec. 6, 1926.

2 Residents only.

3 Includes nonresidents.

Reported prevalence for the year 1926—Continued

MEASLES—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York:								
Albany.....	119,000	7	569	2,494	20.96	6	0.05	0.2
Buffalo.....	544,000	7	1,463	535	.98	8	.01	1.5
New York.....	5,924,000	7	13,999	39,750	6.71	706	.12	1.8
Rochester.....	321,000	6	1,103	2,160	6.73	18	.06	.8
Syracuse.....	185,000	7	1,211	2,428	13.12	4	.02	.2
Utica.....	103,000	7	654	1,164	11.30	5	.05	.4
Yonkers.....	116,000	7	337	932	8.03	4	.03	.4
Ohio:								
Akron.....		7	1,075	551		10		1.8
Canton.....	110,000	7	293	1,369	12.45	7	.06	.5
Cincinnati.....	411,000	7	1,410	2,623	6.38	41	.10	1.6
Cleveland.....	960,000	7	2,466	13,721	14.29	107	.11	.9
Columbus.....	285,000	7	826	5,755	20.19	49	.17	4.0
Dayton.....	177,000	7	113	5,554	3.13	22	.12	.6
Toledo.....	295,000	7	2,911	4,611	15.63	19	.06	1.5
Youngstown.....	165,000	7	1,104	817	4.95	12	.07	
Oklahoma:								
Oklahoma City.....		6	68	63		0		
Oregon:								
Portland.....		5	735	983		4		.4
Pennsylvania:								
Erie.....		7	657	1,923		13		.7
Philadelphia.....	2,008,000	5	4,839	12,415	6.18	160	.08	1.3
Pittsburgh.....	637,000	4	2,242	2,990	4.71	25	.04	.8
Reading.....	114,000	7	1,080	479	4.20	1	.01	.2
Scranton.....	143,000	7	230	2,041	14.27	0		
Rhode Island:								
Providence.....	275,000	7	1,590	4,775	17.36	63	.23	1.3
Tennessee:								
Memphis.....	177,000	7	721	2,712	15.32	13	.07	.5
Nashville.....	137,000	7	250	1,261	9.20	16	.12	1.3
Texas:								
Dallas.....	203,000	5	805	41	.20	1	.00	2.4
El Paso.....	109,000	4	782	39	.36	0		
Fort Worth.....	159,000	6	18	25	.16	0		
Houston.....		4	83	9		0		
San Antonio.....	205,000	7	85	6	.03	2	.01	33.3
Utah:								
Salt Lake City.....	133,000	7	252	1,939	14.58	2	.02	.1
Virginia:								
Norfolk.....	174,000	7	327	249	1.43	0		
Richmond.....	189,000	7	1,265	1,444	7.64	1	.01	.1
Washington:								
Seattle.....		7	860	930		2		.2
Spokane.....	109,000	7	1,074	1,245	11.42	2	.02	.2
Tacoma.....	106,000	7	188	123	1.16	0		
Wisconsin:								
Milwaukee.....	517,000	7	3,860	4,381	8.47	21	.04	.5
Total:								
70 cities.....	29,556,000		90,558	234,208	7.92	2,432	.08	1.0
83 cities.....			97,356	243,358		2,543		1.0

MENINGOCOCCUS MENINGITIS

Alabama:								
Birmingham.....	211,000	7	9	4	0.02	2	0.01	50.0
California:								
Los Angeles.....		7	25	40		30		75.0
Oakland.....	261,000	5	4	10	.04	6	.02	60.0
San Diego.....	110,000	6	4	4	.04	4	.04	100.0
San Francisco.....	567,000	7	24	14	2.02	7	.01	50.0
Colorado:								
Denver.....	285,000	5	3	6	.02	4	.01	66.7
Connecticut:								
Hartford.....	164,000	7	3	5	.03	0		
New Haven.....	182,000	6	11	1	.01	1	.01	100.0
Waterbury.....		7	8	2		0		

¹ Residents only.

² Includes nonresidents.

Reported prevalence for the year 1926—Continued

MENINGOCOCCUS MENINGITIS—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Delaware:								
Wilmington.....	124,000	6	3	1	0.01	0		
District of Columbia:								
Washington.....	528,000	7	5	6	.01	2	0.00	33.3
Florida:								
Miami.....	131,000	3	2	4	.03	4	.03	100.0
Tampa.....	102,000			4	.04	0		
Georgia:								
Atlanta.....				5		4		80.0
Illinois:								
Chicago.....	3,048,000	7	61	44	.01	29	.01	65.9
Indiana:								
Indianapolis.....	367,000	7	4	5	.02	5	.02	100.0
Kansas:								
Kansas City.....	117,000	7	8			6	.05	
Kentucky:								
Louisville.....	311,000	6	6	5	.02	3	.01	60.0
Louisiana:								
New Orleans.....	419,000	6	10	9	.02	6	.01	66.7
Maryland:								
Baltimore.....	808,000	7	24	29	.04	20	.03	69.0
Massachusetts:								
Boston.....	787,000	7	42	41	.05	26	.03	63.4
Cambridge.....	122,000	7	5	4	.03	3	.02	75.0
Fall River.....	131,000	6	9	5	.04	3	.02	60.0
Lowell.....		6	6	1		1		100.0
Lynn.....	104,000	6	7	5	.05	4	.04	80.0
Somerville.....	100,000	7	2	2	.02	1	.01	50.0
Springfield.....	145,000	4	3	4	.03	4	.03	100.0
Michigan:								
Detroit.....	1,290,000	5	50	41	.03	17	.01	41.5
Minnesota:								
Duluth.....	113,000	4	4	4	.04	2	.02	50.0
Minneapolis.....	434,000	5	8	4	.01	1	.00	25.0
St. Paul.....	248,000	7	3	2	.01	2	.01	100.0
Missouri:								
Kansas City.....	375,000	6	12	12	.03	1	.00	8.3
St. Louis.....	830,000	7	29	31	.04	12	.01	38.7
New Jersey:								
Elizabeth.....		4	4			1		
Jersey City.....	318,000	7	12	19	.06	5	.02	26.3
Newark.....	459,000	7	23	16	.03	16	.03	100.0
Paterson.....	143,000	6	8			5	.03	
New York:								
Albany.....	119,000	5	2	2	.02	0		
Buffalo.....	544,000	7	12	17	.03	8	.01	47.1
New York.....	5,924,000	7	218	170	.03	114	.02	67.1
Rochester.....	321,000			1	.00	1	.00	100.0
Yonkers.....	116,000	7	3	2	.02	2	.02	100.0
Ohio:								
Akron.....		6	3			2		
Canton.....	110,000	7	1	10	.09	8	.67	80.0
Cincinnati.....	411,000	5	8			3	.01	
Cleveland.....	960,000	6	20	15	.02	4	.00	26.7
Columbus.....	285,000	5	3	3	.01	0		
Toledo.....	295,000	6	2			3	.01	
Youngstown.....	165,000	5	1			3	.02	
Oregon:								
Portland.....		5	7	13		12		92.3
Pennsylvania:								
Philadelphia.....	2,008,000	7	34	14	.01	11	.01	78.6
Pittsburgh.....	637,000	6	11			10	.02	
Seranton.....	143,000	5	2	2	.01	0		
Rhode Island:								
Providence.....	275,000	7	11	4	.01	3	.01	75.0
Tennessee:								
Memphis.....	177,000	7	7	10	.06	8	.05	80.0
Nashville.....	137,000	7	5	9	.07	9	.07	100.0
Texas:								
Dallas.....	203,000	5	8	4	.02	2	.01	50.0
El Paso.....	109,000	3	1	2	.02	2	.02	100.0
Fort Worth.....	159,000	7	1			3	.02	

¹ Special census, Dec. 6, 1926.² Includes nonresidents.³ Includes 4 nonresidents.

Reported prevalence for the year 1926—Continued

MENINGOCOCCUS MENINGITIS—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Utah:								
Salt Lake City.....	133,000			12	0.09	5	0.04	41.7
Virginia:								
Richmond.....	189,000	6	3	1	.01	0		
Washington:								
Seattle.....		4	9	49		25		51.0
Spokane.....	109,000	7	1	106	.97	52	.48	49.1
Tacoma.....	106,000	5	6	6	.06	4	.04	66.7
Wisconsin:								
Milwaukee.....	517,000					37	.07	
Total:								
46 cities.....	24,486,000		719	714	.03	417	.02	58.4
49 cities.....	25,042,000			731	.03	423	.02	57.9
56 cities.....	27,486,000					493	.02	
55 cities.....				841				
65 cities.....						568		

MUMPS

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Birmingham.....	211,000	66	113	0.54	0		
California:							
Los Angeles.....		260	499		0		
Oakland.....	261,000	229	2,023	7.75	1	0.00	2,023.0
San Diego.....	110,000	165	1,455	13.23	1	.01	1,455.0
San Francisco.....	567,000	512	685	1.21	0		
Colorado:							
Denver.....	285,000	360	49	.17	0		
Connecticut:							
Bridgeport.....		36	21		0		
Hartford.....	164,000	121	18	.11	5	.03	3.6
New Haven.....	182,000	267	34	.19	0		
Waterbury.....		18	7		0		
Florida:							
Miami.....	131,000	4	133	1.02	1	.01	133.0
Tampa.....	102,000	15	31	.30	0		
Georgia:							
Atlanta.....		85	39		0		
Illinois:							
Chicago.....	3,048,000	1,658	927	.30	1	.00	927.0
Indiana:							
Indianapolis.....	367,000	358	51	.14	0		
Iowa:							
Des Moines.....	146,000	1	6	.04	0		
Kansas:							
Kansas City.....	117,000	360	18	.15	0		
Maryland:							
Baltimore.....	808,000	1,666	3,991	4.94	0		
Massachusetts:							
Boston.....	787,000	930	1,577	2.00	0		
Cambridge.....	122,000	396	365	2.99	0		
Fall River.....	131,000	56	117	.89	0		
Lowell.....		55	8		0		
Lynn.....	104,000	50	69	.66	0		
New Bedford.....		55	36		0		
Somerville.....	100,000	71	45	.45	0		
Springfield.....	145,000	228	40	.28	0		
Worcester.....	193,000	244	40	.21	0		

1 Special census, Dec. 6, 1926.

2 Three years only.

Reported prevalence for the year 1926—Continued

MUMPS—Continued

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan:							
Detroit.....	1,290,000	² 519	455	0.35	2	0.00	227.5
Flint.....	136,000	225	44	.32	1	.01	44.0
Grand Rapids.....	156,000	228	12	.08	0		
Minnesota:							
Duluth.....	113,000	144	21	.19	0		
St. Paul.....	248,000	389	214	.86	0		
Missouri:							
Kansas City.....	375,000	342	118	.31	2	.01	59.0
St. Louis.....	830,000	429	222	.27	0		
Nebraska:							
Omaha.....	216,000	85	47	.22	0		
New Jersey:							
Camden.....	131,000	60	³ 18	⁴ .14	0		
Elizabeth.....		292	13		0		
Newark.....	459,000	966	396	.86	0		
Paterson.....	143,000	55	35	.24	0		
Trenton.....	134,000	7	⁴ 32	⁴ .24	0		
New York:							
Albany.....	119,000	212	1,117	9.39	2	.02	558.5
Buffalo.....	544,000	510	78	.14	0		
New York.....	5,924,000	2,733	1,336	.23	4	.00	334.0
Rochester.....	321,000	538	36	.11	0		
Syracuse.....	185,000	326	⁴ 698	⁴ 3.77	0		
Utica.....	103,000	132	25	.24	0		
Yonkers.....	116,000	104	73	.63	0		
Ohio:							
Akron.....		309	78		0		
Canton.....	110,000	219	11	.10	0		
Cincinnati.....	411,000	² 206	380	.92	0		
Cleveland.....	960,000	² 378	120	.12	0		
Columbus.....	285,000	² 54	68	.24	0		
Toledo.....	295,000	² 18	2	.01	0		
Youngstown.....	165,000	20	13	.08	1	.01	13.0
Oklahoma:							
Oklahoma City.....		² 48	45		0		
Oregon:							
Portland.....		152	254		1		254.0
Pennsylvania:							
Erie.....		² 36	128		0		
Philadelphia.....	2,008,000	867	498	.25	2	.00	249.0
Pittsburgh.....	637,000	² 423	⁴ 86	⁴ .14	0		
Reading.....	114,000	262	46	.40	0		
Scranton.....	143,000	35	21	.15	0		
Rhode Island:							
Providence.....	275,000	47	40	.15	0		
Tennessee:							
Memphis.....	177,000	227	124	.70	0		
Nashville.....	137,000	37	5	.04	0		
Texas:							
Dallas.....	203,000	152	46	.23	0		
El Paso.....	109,000	² 206	195	1.79	1	.01	195.0
Fort Worth.....	159,000	² 4	14	.09	0		
Houston.....		² 3	10		0		
San Antonio.....	205,000	3	3	.01	0		
Utah:							
Salt Lake City.....	133,000	842	464	3.40	0		
Virginia:							
Norfolk.....	174,000	² 183	46	.26	0		
Richmond.....	189,000	73	173	.92	0		
Washington:							
Seattle.....		690	1,727		0		
Spokane.....	109,000	32	144	1.32	0		
Tacoma.....	106,000	123	38	.36	0		
Wisconsin:							
Milwaukee.....	517,000	885	1,369	2.65	0		
Total:							
63 cities.....	27,245,000	21,066	20,670	.76	24	.00	861.2
76 cities.....		23,105	23,535		25		941.4

² Three years only.
³ Residents only.

⁴ Includes nonresidents.
⁵ Two years only.

Reported prevalence for the year 1926—Continued

PELLAGRA

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	211,000	36	0.17	19	0.09	1.9
California:						
Los Angeles.....		16		12		1.3
Oakland.....	261,000	1	.00	1	.00	1.0
San Diego.....	110,000	3	.03	3	.03	1.0
San Francisco.....	567,000			9	.02	
District of Columbia:						
Washington.....	528,000	13	.02	8	.02	1.6
Florida:						
Miami.....	¹ 131,000	4	.03	1	.01	4.0
Tampa.....	102,000			7	.07	
Georgia:						
Atlanta.....				32		
Illinois:						
Chicago.....	3,048,000			9	.00	
Kentucky:						
Louisville.....	311,000			2	.01	
Louisiana:						
New Orleans.....	419,000			36	.09	
Maryland:						
Baltimore.....	808,000	4	.00	4	.00	1.0
Massachusetts:						
Boston.....	787,000	6	.01	2	.00	3.0
Cambridge.....	122,000	1	.01	0		
Fall River.....	131,000	1	.01	0		
Worcester.....	193,000	3	.02	0		
Michigan:						
Detroit.....	1,290,000	2	.00	2	.00	1.0
Missouri:						
Kansas City.....	375,000	3	.01	3	.01	1.0
New Jersey:						
Trenton.....	134,000			1	.01	
New York:						
New York.....	5,924,000			13	.00	
Ohio:						
Cleveland.....	960,000			4	.00	
Youngstown.....	165,000			1	.01	
Oklahoma:						
Oklahoma City.....		5		3		1.7
Pennsylvania:						
Philadelphia.....	2,008,000			6	.00	
Tennessee:						
Memphis.....	177,000	² 28	² .16	² 23	² .13	1.2
Nashville.....	137,000	13	.09	9	.07	1.4
Texas:						
Dallas.....	203,000	39	.19	36	.18	1.1
El Paso.....	109,000			1	.01	
Fort Worth.....	159,000			32	.20	
Houston.....				28		
Virginia:						
Norfolk.....	174,000			8	.05	
Richmond.....	189,000			6	.03	
Total:						
29 cities.....	19,733,000			246	.01	
33 cities.....				321		

¹ Special census, Dec. 6, 1926.² Includes 2 nonresidents.

Reported prevalence for the year 1926—Continued

PNEUMONIA (ALL FORMS)

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	211,000	572	2.71	380	1.80	1.5
California:						
Los Angeles.....		1,889		743		2.5
Oakland.....	261,000			190	.73	
San Diego.....	110,000	221	2.01	120	1.09	1.8
San Francisco.....	567,000	378	.67	560	.99	
Colorado:						
Denver.....	285,000			412	1.45	
Connecticut:						
Bridgeport.....		419		180		2.3
Hartford.....	164,000	530	3.23	146	.89	3.6
New Haven.....	182,000			249	1.37	
Waterbury.....		212		150		1.4
Delaware:						
Wilmington.....	124,000	42	.34	28	.23	1.5
District of Columbia:						
Washington.....	528,000	1,996	3.78	811	1.54	2.5
Florida:						
Miami.....	131,000	205	1.56	123	.94	1.7
Tampa.....	102,000			143	1.40	
Georgia:						
Atlanta.....		723		466		1.6
Illinois:						
Chicago.....	3,048,000	9,763	3.20	3,238	1.06	3.0
Indiana:						
Indianapolis.....	367,000			629	1.71	
Iowa:						
Des Moines.....	146,000			138	.95	
Kansas:						
Kansas City.....	117,000	392	3.35	207	1.77	1.9
Kentucky:						
Louisville.....	311,000	659	2.12	612	1.97	1.1
Louisiana:						
New Orleans.....	419,000	696	1.66	667	1.80	1.0
Maryland:						
Baltimore.....	808,000	2,753	3.41	1,539	1.90	1.8
Massachusetts:						
Boston.....	787,000	1,603	2.04	1,283	1.63	
Cambridge.....	122,000	238	1.95	68	.56	
Fall River.....	131,000	117	.89	124	.95	
Lowell.....		68		171		
Lynn.....	104,000	134	1.29	115	1.11	
New Bedford.....		103		245		
Somerville.....	100,000	133	1.33	128	1.28	
Springfield.....	145,000	177	1.22	134	.92	
Worcester.....	193,000	321	1.66	147	.76	
Michigan:						
Detroit.....	1,290,000	4,433	3.44	1,970	1.53	2.3
Flint.....	136,000	72	.53	189	1.39	
Grand Rapids.....	156,000	219	1.40	118	.76	1.9
Minnesota:						
Duluth.....	113,000			117	1.04	
Minneapolis.....	434,000			429	.99	
St. Paul.....	248,000			279	1.12	
Missouri:						
Kansas City.....	375,000	547	1.46	515	1.37	1.1
St. Louis.....	830,000			941	1.13	
Nebraska:						
Omaha.....	216,000			342	1.58	
New Jersey:						
Camden.....	131,000	381	2.91	255	1.95	1.5
Elizabeth.....				168		
Jersey City.....	318,000			542	1.70	
Newark.....	459,000	2,771	6.04	674	1.47	4.1
Paterson.....	143,000	264	1.85	176	1.23	1.5
Trenton.....	134,000	336	2.51	228	1.70	1.5

¹ Special census, Dec. 6, 1926.² Lobar pneumonia only.³ Includes 18 nonresidents.⁴ Includes 12 nonresidents.⁵ Residents only.⁶ Includes nonresidents.

Reported prevalence for the year 1926—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York:						
Albany.....	119,000	726	6.10	209	1.76	3.5
Buffalo.....	544,000	1,355	2.49	768	1.41	1.8
New York.....	5,924,000	22,661	3.83	10,821	1.78	2.2
Rochester.....	321,000	1,424	4.44	360	1.12	4.0
Syracuse.....	185,000	768	3.61	226	1.22	3.0
Utica.....	103,000	380	3.69	153	1.49	2.5
Yonkers.....	116,000			177	1.53	
Ohio:						
Akron.....		325		272		1.2
Canton.....	110,000			147	1.34	
Cincinnati.....	411,000			461	1.12	
Cleveland.....	990,000	2,930	3.05	1,194	1.24	2.5
Columbus.....	285,000			260	.91	
Dayton.....	177,000			207	1.17	
Toledo.....	285,000			280	.95	
Youngstown.....	165,000			209	1.27	
Oklahoma:						
Oklahoma City.....		213		184		1.4
Oregon:						
Portland.....				238		
Pennsylvania:						
Erie.....				144		
Philadelphia.....	2,008,000			3,441	1.71	
Pittsburgh.....	637,000	7,3125	7,4.91	7,1,255	7,1.97	2.5
Reading.....	114,000			171	1.50	
Scranton.....	143,000			274	1.92	
Rhode Island:						
Providence.....	275,000			336	1.22	
Tennessee:						
Memphis.....	177,000			302	1.71	
Nashville.....	137,000			282	2.06	
Texas:						
Dallas.....	203,000	323	1.59	291	1.43	1.1
El Paso.....	109,000			88	.81	
Fort Worth.....	159,000			198	1.25	
Houston.....				356		
San Antonio.....	205,000			397	1.94	
Utah:						
Salt Lake City.....	133,000			167	1.26	
Virginia:						
Norfolk.....	174,000			190	1.09	
Richmond.....	189,000			309	1.63	
Washington:						
Spokane.....	109,000	143	1.31	118	1.08	1.2
Tacoma.....	106,000			118	1.11	
Wisconsin:						
Milwaukee.....	517,000	1,022	1.98	726	1.40	1.4
Total:						
69 cities.....	29,281,000			42,465	1.45	
83 cities.....				46,088		

* Includes nonresidents.

* Includes 56 nonresidents.

Reported prevalence for the year 1926—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	211,000	7	6	4	0.02	3	0.01	75.0
California:								
Los Angeles.....		7	22	35		5		14.3
Oakland.....	261,000	6	6	5	.02	1	.00	20.0
San Diego.....	110,000	7	5	7	.06	0		
San Francisco.....	567,000	7	4	14	1.01	3	.01	75.0
Colorado:								
Denver.....	285,000	6	4	4	.01	2	.01	50.0
Connecticut:								
Hartford.....	164,000	7	4	5	.03	0		
New Haven.....	182,000	7	5	1	.01	0		
Waterbury.....		7	4	1		0		
Delaware:								
Wilmington.....	124,000	7	1	5	.04	0		
District of Columbia:								
Washington.....	528,000	7	19	6	.01	5	.01	83.3
Florida:								
Miami.....	131,000	4	1	1	.01	0		
Tampa.....	102,000	4	1	1	.01	1	.01	100.0
Georgia:								
Atlanta.....		6	1	5		1		20.0
Illinois:								
Chicago.....	3,048,000	7	78	28	.01	3	.00	10.7
Indiana:								
Indianapolis.....	367,000	7	3	5	.01	5	.01	100.0
Iowa:								
Des Moines.....	146,000	3	5	2	.01	2	.01	100.0
Kansas:								
Kansas City.....	117,000	6	1	1	.01	0		
Kentucky:								
Louisville.....	311,000	6	1	2	.01	1	.00	50.0
Louisiana:								
New Orleans.....	419,000	7	5	2	.00	1	.00	50.0
Maryland:								
Baltimore.....	808,000	7	28	28	.03	9	.01	32.1
Massachusetts:								
Boston.....	787,000	7	50	29	.04	7	.01	24.1
Cambridge.....	122,000	7	4	4	.03	0		
Fall River.....	131,000	7	6	5	.04	2	.02	40.0
Lowell.....		7	8	5		2		40.0
Lynn.....	104,000	6	5	3	.03	0		
Somerville.....	100,000	7	3	7	.07	0		
Springfield.....	145,000	7	3	41	.28	4	.03	9.8
Worcester.....	193,000	6	5	35	.18	6	.03	17.1
Michigan:								
Detroit.....	1,290,000	7	17	47	.04	11	.01	23.4
Flint.....	136,000	7	6	4	.03	1	.01	25.0
Grand Rapids.....	156,000	7	4	6	.04	2	.01	33.3
Minnesota:								
Duluth.....	113,000	7	1	1	.01	1	.01	100.0
Minneapolis.....	434,000	7	9	5	.01	0		
St. Paul.....	248,000	7	9	3	.01	0		
Missouri:								
Kansas City.....	375,000	7	2	3	.01	1	.00	33.3
St. Louis.....	830,000	7	16	9	.01	3	.00	33.3
Nebraska:								
Omaha.....	216,000	5	2			2	.01	
New Jersey:								
Camden.....	131,000	7	1	13	1.02	0		
Elizabeth.....		6	1			1		
Jersey City.....	318,000	7	4	2	.01	0		
Newark.....	459,000	7	21	9	.02	1	.00	11.1

¹ Residents only.² Special census, Dec. 6, 1926.

*Reported prevalence for the year 1926—Continued***POLIOMYELITIS (INFANTILE PARALYSIS)—Continued**

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Num- ber of years	Cases	Cases re- ported	Cases per 1,000 inhabit- ants	Deaths regis- tered	Deaths per 1,000 inhabit- ants	Fatali- ties per 100 cases
New York:								
Albany.....	119,000	7	2	1	0.01	0		
Buffalo.....	544,000	5	7	144	.26	15	0.03	10.4
New York.....	5,924,000	5	214	111	.02	34	.01	30.6
Rochester.....	321,000	4	4	9	.03	0		
Syracuse.....	185,000	7	8	65	.35	13	.07	20.0
Utica.....	103,000	7	5	1	.01	0		
Yonkers.....	116,000	7	4	4	.03	2	.02	50.0
Ohio:								
Canton.....	110,000	7	1	5	.05	0		
Cincinnati.....	411,000	7	5	1	.00	0		
Cleveland.....	960,000	7	13	25	.03	3	.00	12.0
Columbus.....	285,000	5	3	1	.00	1	.00	100.0
Dayton.....	177,000	7	2	6	.03	1	.01	16.7
Toledo.....	295,000	7	4	6	.02	3	.01	50.0
Youngstown.....	165,000	7	2	15	.09	4	.02	26.7
Oregon:								
Portland.....		7	3			3		
Pennsylvania:								
Erie.....		7	4	1		0		
Philadelphia.....	2,008,000	7	21	16	.01	5	.00	31.2
Pittsburgh.....	637,000	7	7			2	.00	
Reading.....	114,000	7	1	1	.01	1	.01	100.0
Rhode Island:								
Providence.....	275,000	7	9	10	.04	2	.01	20.0
Tennessee:								
Memphis.....	177,000	7	1	2	.01	1	.01	50.0
Nashville.....	137,000	6	2	2	.01	0		
Texas:								
Dallas.....	203,000	7	2	10	.05	7	.03	70.0
El Paso.....	109,000	4	1			2	.02	
Fort Worth.....	159,000	6	1			1	.01	
Houston.....		7	0			1		
San Antonio.....	205,000	6	1	2	.01	0		
Utah:								
Salt Lake City.....	133,000	5	2	4	.03	0		
Virginia:								
Norfolk.....	174,000	7	2	7	.04	3	.02	42.9
Richmond.....	189,000	7	5	10	.05	4	.02	40.0
Washington:								
Seattle.....		7	2	4		3		75.0
Spokane.....	109,000	7	1	2	.02	1	.01	50.0
Wisconsin:								
Milwaukee.....	517,000	7	14	4	.01	2	.00	50.0
Total:								
62 cities.....	27,909,000		679	791	.03	177	.01	22.4
66 cities.....	29,030,000					184	.01	
68 cities.....				842				
75 cities.....						200		

* Includes nonresidents.

Reported prevalence for the year 1926—Continued

RABIES IN ANIMALS

City	Cases reported 1926	City	Cases reported 1926
California:		Missouri:	
Los Angeles.....	219	Kansas City.....	150
San Diego.....	50	St. Louis.....	29
District of Columbia:		New Jersey:	
Washington.....	154	Elizabeth.....	13
Florida:		Jersey City.....	1
Miami.....	31	Trenton.....	12
Illinois:		New York:	
Chicago.....	17	New York.....	462
Iowa:		Yonkers.....	39
Des Moines.....	2	Ohio:	
Kansas:		Cincinnati.....	172
Kansas City.....	7	Cleveland.....	122
Kentucky:		Columbus.....	60
Louisville.....	31	Toledo.....	11
Maryland:		Youngstown.....	25
Baltimore.....	14	Rhode Island:	
Massachusetts:		Providence.....	1
Boston.....	31	Texas:	
Cambridge.....	15	Dallas.....	8
Springfield.....	8	Houston.....	242
Michigan:		San Antonio.....	168
Detroit.....	80		

RABIES IN MAN

City	Deaths registered 1926	City	Deaths registered 1926
California:		Pennsylvania:	
Los Angeles.....	13	Pittsburgh.....	3
New York:		Tennessee:	
New York.....	1	Nashville.....	1
Ohio:		Texas:	
Cincinnati.....	1	Dallas.....	1
Cleveland.....	2	Fort Worth.....	3

1 Nonresidents.

Reported prevalence for the year 1926—Continued

SCARLET FEVER

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	211,000	7	182	193	0.91	0		
California:								
Los Angeles		7	1,141	1,504		10		0.7
Oakland	261,000	7	317	291	1.11	0		
San Diego	110,000	7	173	288	2.62	0		
San Francisco	567,000	7	569	1,723	1.28	5	0.01	.7
Colorado:								
Denver	285,000	7	480	1,024	3.59	10	.04	1.0
Connecticut:								
Bridgeport		7	421	620		6		1.0
Hartford	164,000	7	240	185	1.13	1	.01	.5
New Haven	182,000	7	510	327	1.80	3	.02	.9
Waterbury		7	309	151		0		
Delaware:								
Wilmington	124,000	7	234	295	2.38	2	.02	.7
District of Columbia:								
Washington	528,000	7	853	855	1.62	7	.01	.8
Florida:								
Miami	131,000	5	11	47	.36	1	.01	2.1
Tampa	102,000	4	13	63	.62	1	.01	1.6
Georgia:								
Atlanta		7	220	207		2		1.0
Illinois:								
Chicago	3,048,000	7	4,953	4,948	1.62	78	.03	1.6
Indiana:								
Indianapolis	367,000	7	348	626	1.71	8	.02	1.3
Iowa:								
Des Moines	146,000	5	209	157	1.08	3	.02	1.9
Kansas:								
Kansas City	117,000	7	174	187	1.60	2	.02	1.1
Kentucky:								
Louisville	311,000	7	305	377	1.21	2	.01	.5
Louisiana:								
New Orleans	419,000	7	246	432	1.03	8	.02	1.9
Maryland:								
Baltimore	808,000	7	1,248	1,087	1.35	10	.01	.9
Massachusetts:								
Boston	787,000	7	2,173	3,064	3.89	38	.05	1.2
Cambridge	122,000	7	278	330	2.70	2	.02	.6
Fall River	131,000	7	141	117	.89	0		
Lowell		7	221	283		3		1.1
Lynn	104,000	6	216	607	5.84	1	.01	.2
New Bedford		7	190	476		4		.8
Somerville	100,000	7	207	500	5.00	1	.01	.2
Springfield	145,000	7	336	188	1.30	3	.02	1.6
Worcester	193,000	7	448	440	2.28	3	.02	.7
Michigan:								
Detroit	1,290,000	7	3,338	4,662	3.61	97	.08	2.1
Flint	136,000	7	433	630	4.63	11	.08	1.7
Grand Rapids	156,000	7	301	792	5.08	3	.02	.4
Minnesota:								
Duluth	113,000	7	270	865	7.65	7	.06	.8
Minneapolis	434,000	7	1,909	2,938	6.77	27	.06	.9
St. Paul	248,000	7	1,288	1,715	6.92	8	.03	.5
Missouri:								
Kansas City	375,000	7	487	759	2.02	18	.05	2.4
St. Louis	830,000	7	1,390	4,241	5.11	62	.07	1.5
Nebraska:								
Omaha	216,000	7	195	1,156	5.35	8	.04	.7
New Jersey:								
Camden	131,000	7	173	1331	12.53	18	1.06	2.4
Elizabeth		7	271	220		1		.5
Jersey City	318,000	7	420	264	.83	1	.00	.4
Newark	459,000	7	1,094	1,023	2.23	6	.01	.6
Paterson	143,000	7	213	316	2.21	4	.03	1.3
Trenton	134,000	7	246	159	1.19	2	.01	1.3

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes nonresidents.

Reported prevalence for the year 1926—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York:								
Albany.....	119,000	7	262	139	1.17	1	0.01	0.7
Buffalo.....	544,000	7	885	592	1.09	9	.02	1.5
New York.....	5,924,000	7	8,399	7,968	1.34	77	.01	1.0
Rochester.....	321,000	7	500	516	1.61	3	.01	.6
Syracuse.....	185,000	7	629	³ 146	³ .79	0	-----	-----
Utica.....	103,000	6	191	66	.64	2	.02	3.0
Yonkers.....	116,000	7	277	651	5.61	7	.06	1.1
Ohio:								
Akron.....		7	491	510	-----	7	-----	1.4
Canton.....	110,000	7	149	194	1.76	0	-----	-----
Cincinnati.....	411,000	7	644	800	1.95	8	.02	1.0
Cleveland.....	960,000	5	1,403	2,303	2.40	33	.03	1.4
Columbus.....	285,000	7	424	704	2.47	4	.01	.6
Dayton.....	177,000	7	253	368	2.08	2	.01	.5
Toledo.....	295,000	7	739	531	1.80	9	.03	1.7
Youngstown.....	165,000	7	364	602	3.65	9	.05	1.5
Oklahoma:								
Oklahoma City.....		6	145	103	-----	0	-----	-----
Oregon:								
Portland.....		7	265	1,081	-----	6	-----	.6
Pennsylvania:								
Erie.....		7	355	306	-----	3	-----	1.0
Philadelphia.....	2,008,000	7	3,765	3,335	1.66	40	.02	1.2
Pittsburgh.....	637,000	7	1,642	³ 1,656	³ 2.60	³ 17	³ .03	1.0
Reading.....	114,000	7	74	277	2.43	1	.01	.4
Scranton.....	143,000	7	129	588	4.11	1	.01	.2
Rhode Island:								
Providence.....	275,000	7	533	261	.95	1	.00	.4
Tennessee:								
Memphis.....	177,000	7	201	⁴ 589	⁴ 3.33	6	.03	1.0
Nashville.....	137,000	7	155	207	1.51	0	-----	-----
Texas:								
Dallas.....	203,000	7	144	363	1.79	6	.03	1.7
El Paso.....	109,000	4	89	85	.78	³ 3	³ .03	3.5
Fort Worth.....	159,000	7	64	149	.94	1	.01	.7
Houston.....		7	52	79	-----	0	-----	-----
San Antonio.....	205,000	7	32	61	.30	0	-----	-----
Utah:								
Salt Lake City.....	133,000	7	105	130	.98	1	.01	.8
Virginia:								
Norfolk.....	174,000	7	82	248	1.43	0	-----	-----
Richmond.....	189,000	7	238	322	1.70	3	.02	.9
Washington:								
Seattle.....		7	454	916	-----	6	-----	.7
Spokane.....	109,000	7	292	802	7.36	7	.06	.9
Tacoma.....	106,000	7	117	150	1.42	1	.01	.7
Wisconsin:								
Milwaukee.....	517,000	7	1,151	830	1.61	4	.01	.5
Total:								
70 cities.....	29,556,000	-----	50,463	62,835	2.13	707	.02	1.1
83 cities.....		-----	54,998	69,291	-----	755	-----	1.1

¹ Includes nonresidents.⁴ Includes 8 nonresidents.³ Includes 1 nonresident.

Reported prevalence for the year 1926—Continued

SEPTIC SORE THROAT

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
California:						
Los Angeles.....		2		0		
Colorado:						
Denver.....	285,000			12	0.04	
Connecticut:						
Bridgeport.....		10		2		5.0
Hartford.....	164,000	11	0.07	1	.01	11.0
New Haven.....	182,000	9	.05	1	.01	9.0
District of Columbia:						
Washington.....	528,000			1	.00	
Georgia:						
Atlanta.....		83		0		
Illinois:						
Chicago.....	3,048,000	66	.02	53	.02	1.2
Kansas:						
Kansas City.....	117,000	4	.03	1	.01	4.0
Maryland:						
Baltimore.....	808,000	41	.05	5	.01	8.2
Massachusetts:						
Boston.....	787,000	67	.09	11	.01	6.1
Cambridge.....	122,000	3	.02	0		
Fall River.....	131,000	8	.06	0		
Lowell.....		4		2		2.0
Lynn.....	104,000	3	.03	1	.01	3.0
New Bedford.....		3		0		
Somerville.....	100,000	2	.02	0		
Springfield.....	145,000	3	.02	2	.01	1.5
Worcester.....	193,000	3	.02	3	.02	1.0
Michigan:						
Detroit.....	1,290,000	21	.02	0		
Flint.....	136,000			7	.05	
Missouri:						
Kansas City.....	375,000			16	.04	
New Jersey:						
Newark.....	459,000			5	.01	
New York:						
Albany.....	119,000	2	.02	0		
New York.....	5,924,000	5	.00	0		
Syracuse.....	185,000	1	.01	0		
Ohio:						
Akron.....		1		0		
Cleveland.....	960,000	623	.65	0		
Columbus.....	285,000			6	.02	
Toledo.....	295,000			1	.00	
Pennsylvania:						
Pittsburgh.....	637,000			123	1.04	
Rhode Island:						
Providence.....	275,000	4	.01	2	.01	2.0
Texas:						
Dallas.....	203,000			16	.08	
El Paso.....	109,000			2	.02	
Virginia:						
Richmond.....	189,000			1	.01	
Total:						
29 cities.....	18,155,000			170	.01	
35 cities.....				174		

¹ Includes nonresidents.

Reported prevalence for the year 1926—Continued

SMALLPOX

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	211,000	5	142	176	0.83	0	-----	-----
California:								
Los Angeles.....		7	272	1,014	-----	178	-----	17.6
Oakland.....	261,000	7	84	393	1.51	0	-----	-----
San Diego.....	110,000	5	32	20	.18	3	0.03	15.0
San Francisco.....	567,000	5	111	190	1.16	12	.02	13.3
Colorado:								
Denver.....	285,000	2	5	5	.02	0	-----	-----
Connecticut:								
Bridgeport.....		6	1	0	-----	0	-----	-----
Hartford.....	164,000	7	0	0	-----	0	-----	-----
New Haven.....	182,000	7	1	0	-----	0	-----	-----
Waterbury.....		7	1	0	-----	0	-----	-----
Delaware:								
Wilmington.....	124,000	7	1	0	-----	0	-----	-----
District of Columbia:								
Washington.....	528,000	7	67	16	.03	0	-----	-----
Florida:								
Miami.....	131,000	5	13	438	3.34	0	-----	-----
Tampa.....	102,000	5	6	492	4.82	0	-----	-----
Georgia:								
Atlanta.....		3	128	111	-----	0	-----	-----
Illinois:								
Chicago.....	3,048,000	7	98	54	.02	2	.00	3.7
Indiana:								
Indianapolis.....	367,000	6	270	645	1.76	1	.00	.2
Iowa:								
Des Moines.....	146,000	3	79	22	.15	0	-----	-----
Kansas:								
Kansas City.....	117,000	4	18	10	.09	0	-----	-----
Kentucky:								
Louisville.....	311,000	7	34	12	.04	1	.00	8.3
Louisiana:								
New Orleans.....	419,000	5	29	114	.27	1	.00	.9
Maryland:								
Baltimore.....	808,000	7	15	0	-----	0	-----	-----
Massachusetts:								
Boston.....	787,000	5	1	0	-----	0	-----	-----
Cambridge.....	122,000	7	0	0	-----	0	-----	-----
Fall River.....	131,000	7	0	0	-----	0	-----	-----
Lowell.....		7	0	0	-----	0	-----	-----
Lynn.....	104,000	6	0	0	-----	0	-----	-----
New Bedford.....		7	0	0	-----	0	-----	-----
Somerville.....	100,000	7	0	0	-----	0	-----	-----
Springfield.....	145,000	7	1	0	-----	0	-----	-----
Worcester.....	193,000	7	0	0	-----	0	-----	-----
Michigan:								
Detroit.....	1,290,000	4	165	14	.01	0	-----	-----
Flint.....	136,000	5	38	18	.13	0	-----	-----
Grand Rapids.....	156,000	7	39	8	.05	0	-----	-----
Minnesota:								
Duluth.....	113,000	7	186	2	.02	0	-----	-----
Minneapolis.....	434,000	4	359	3	.01	0	-----	-----
St. Paul.....	248,000	4	360	15	.06	0	-----	-----
Missouri:								
Kansas City.....	375,000	4	45	15	.04	0	-----	-----
St. Louis.....	830,000	7	118	127	.15	0	-----	-----
Nebraska:								
Omaha.....	216,000	6	311	297	1.38	4	.02	1.3
New Jersey:								
Camden.....	131,000	7	5	0	-----	0	-----	-----
Elizabeth.....		5	0	0	-----	0	-----	-----
Jersey City.....	318,000	7	1	0	-----	0	-----	-----
Newark.....	459,000	7	2	6	.01	0	-----	-----
Paterson.....	143,000	7	0	2	.01	0	-----	-----
Trenton.....	134,000	7	4	42	.01	0	-----	-----

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes 15 nonresidents.⁴ Includes nonresidents.

Reported prevalence for the year 1926—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York:								
Albany.....	119,000	7	1	0		0		
Buffalo.....	544,000	7	20	8	0.01	0		
New York.....	5,924,000	7	17	21	.00	0		
Rochester.....	321,000	7	3	0		0		
Syracuse.....	185,000	7	1	45	4.03	0		
Utica.....	103,000	7	1	0		0		
Yonkers.....	116,000	7	0	1	.01	0		
Ohio:								
Akron.....		7	23	0		0		
Canton.....	110,000	5	19	5	.05	0		
Cincinnati.....	411,000	7	98	468	1.14	0		
Cleveland.....	960,000	5	49	30	.03	0		
Columbus.....	285,000	7	78	81	.28	0		
Dayton.....	177,000	7	60	12	.07	0		
Toledo.....	295,000	7	129	12	.04	0		
Youngstown.....	165,000	4	79	10	.06	0		
Oklahoma:								
Oklahoma City.....		5	75	11		0		
Oregon:								
Portland.....		5	497	332		0		
Pennsylvania:								
Erie.....		7	2	0		0		
Philadelphia.....	2,008,000	7	27	2	.00	0		
Pittsburgh.....	637,000	7	16	0		0		
Reading.....	114,000	7	1	0		0		
Scranton.....	143,000	7	0	0		0		
Rhode Island:								
Providence.....	275,000	7	1	0		0		
Tennessee:								
Memphis.....	177,000	7	51	147	.83	0		
Nashville.....	137,000	7	46	10	.07	0		
Texas:								
Dallas.....	203,000	7	48	149	.73	0		
El Paso.....	109,000	4	4	4	.04	0		
Fert Worth.....	159,000	7	50	125	.79	0		
Houston.....		7	43	245		0		
San Antonio.....	205,000	7	9	6	.03	0		
Utah:								
Salt Lake City.....	133,000	3	21	22	.17	0		
Virginia:								
Norfolk.....	174,000	7	7	7	.04	0		
Richmond.....	189,000	7	8	10	.05	0		
Washington:								
Seattle.....		4	250	120		13		10.8
Spokane.....	109,000	4	315	27	.25	0		
Tacoma.....	106,000	7	240	506	4.77	2	.02	.4
Wisconsin:								
Milwaukee.....	517,000	4	134	0		0		
Total:								
70 cities.....	20,556,000		4,173	4,664	.16	26	.00	.6
83 cities.....			5,465	6,497		217		3.3

* Includes nonresidents.

Reported prevalence for the year 1926—Continued

TUBERCULOSIS (ALL FORMS)

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	211,000	577	2.73	249	1.18	2.3
California:						
Los Angeles.....		3,353		1,284		2.6
Oakland.....	261,000	418	1.60	128	.49	3.3
San Diego.....	110,000			177	1.61	
San Francisco.....	567,000	¹ 1,017	¹ 1.79	611	1.08	1.7
Colorado:						
Denver.....	285,000			474	1.66	
Connecticut:						
Bridgeport.....				102		
Hartford.....	164,000	226	1.38	113	.69	2.0
New Haven.....	182,000	276	1.52	97	.53	2.8
Waterbury.....		114		55		2.1
District of Columbia:						
Washington.....	528,000	1,173	2.22	582	1.10	2.0
Florida:						
Miami.....	² 131,000	² 280	² 2.14	⁴ 94	⁴ .72	3.0
Tampa.....	102,000			113	1.11	
Georgia:						
Atlanta.....		470		242		1.9
Illinois:						
Chicago.....	3,048,000	8,504	2.79	2,530	.83	3.4
Indiana:						
Indianapolis.....	367,000			311	.85	
Iowa:						
Des Moines.....	146,000			78	.53	
Kansas:						
Kansas City.....	117,000	215	1.84	125	1.07	1.7
Kentucky:						
Louisville.....	311,000	680	2.19	297	.95	2.3
Louisiana:						
New Orleans.....	419,000	1,035	2.47	709	1.69	1.5
Maryland:						
Baltimore.....	808,000	1,482	1.83	880	1.10	1.7
Massachusetts:						
Boston.....	787,000	2,072	2.63	794	1.01	2.6
Cambridge.....	122,000	239	1.96	108	.89	2.2
Fall River.....	131,000	253	1.93	146	1.11	1.7
Lowell.....		209		92		2.3
Lynn.....	104,000	180	1.73	41	.39	4.4
New Bedford.....		292		119		2.5
Somerville.....	100,000	124	1.24	35	.35	3.5
Springfield.....	145,000	208	1.43	89	.61	2.3
Worcester.....	193,000	246	1.27	131	.68	1.9
Michigan:						
Detroit.....	1,290,000	2,595	2.01	1,208	.94	2.1
Flint.....	136,000	128	.94	46	.34	2.8
Grand Rapids.....	156,000	148	.95	61	.39	2.4
Minnesota:						
Duluth.....	113,000			59	.52	
Minneapolis.....	434,000	1,198	2.76	230	.53	5.2
St. Paul.....	248,000	407	1.64	192	.77	2.1
Missouri:						
Kansas City.....	375,000	379	1.01	348	.93	1.1
St. Louis.....	830,000			560	.67	
Nebraska:						
Omaha.....	216,000			134	.62	
New Jersey:						
Camden.....	131,000	¹ 194	¹ 1.48	63	.48	3.1
Jersey City.....	318,000	577	1.81	265	.83	2.2
Newark.....	459,000			421	.92	
Paterson.....	143,000	233	1.63	127	.89	1.8
Trenton.....	134,000	² 291	² 2.17	³ 184	³ 1.37	1.6

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes 16 nonresidents.⁴ Includes 14 nonresidents.⁵ Includes nonresidents.

Reported prevalence for the year 1926—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York:						
Albany.....	119,000	238	2.00	148	1.24	1.6
Buffalo.....	544,000	922	1.69	279	.51	3.3
New York.....	5,924,000	10,902	1.84	5,508	.93	2.0
Rochester.....	321,000	552	1.72	161	.50	3.4
Syracuse.....	185,000	293	1.58	88	.48	3.3
Utica.....	103,000	102	.99	59	.57	1.7
Yonkers.....	116,000	179	1.54	75	.65	2.4
Ohio:						
Akron.....		467		106		4.4
Canton.....	110,000	131	1.19	51	.46	2.6
Cincinnati.....	411,000	897	2.18	515	1.25	1.7
Cleveland.....	960,000	1,788	1.86	849	.88	2.1
Columbus.....	285,000			256	.90	
Dayton.....	177,000			137	.77	
Toledo.....	295,000			298	1.01	
Youngstown.....	165,000	175	1.06	79	.48	2.2
Oklahoma:						
Oklahoma City.....		57		54		1.1
Oregon:						
Portland.....		283		156		1.8
Pennsylvania:						
Erie.....		243		96		2.5
Philadelphia.....	2,008,000	2,851	1.42	1,928	.96	1.5
Pittsburgh.....	637,000			503	.79	
Reading.....	114,000			60	.53	
Scranton.....	143,000			101	.71	
Rhode Island:						
Providence.....	275,000			145	.53	
Tennessee:						
Memphis.....	177,000	690	3.90	264	1.49	2.6
Nashville.....	137,000	506	3.69	222	1.62	2.3
Texas:						
Dallas.....	203,000	226	1.11	175	.86	1.3
El Paso.....	109,000			414	3.80	
Fort Worth.....	159,000	194	1.22	65	.41	3.0
Houston.....				217		
San Antonio.....	205,000			446	2.17	
Utah:						
Salt Lake City.....	133,000	114	.86	87	.65	1.3
Virginia:						
Norfolk.....	174,000	189	1.09	123	.71	1.5
Richmond.....	189,000	468	2.48	203	1.07	2.3
Washington:						
Seattle.....		756		227		3.3
Spokane.....	109,000	86	.79	44	.40	2.0
Tacoma.....	106,000	154	1.45	38	.36	4.1
Wisconsin:						
Milwaukee.....	517,000			353	.68	
Total:						
50 cities.....	24,047,000	47,012	1.96	21,453	.89	2.2
69 cities.....	29,432,000			26,493	.90	
60 cities.....		53,256				
81 cities.....				29,243		

* Includes nonresidents.

* Includes 49 nonresidents.

* Includes 38 nonresidents.

Reported prevalence for the year 1926—Continued

TUBERCULOSIS (RESPIRATORY SYSTEM)

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	211,000	538	2.55	195	0.92	2.8
California:						
Los Angeles.....				1,128		
Oakland.....	261,000			106	.41	
San Diego.....	110,000	273	2.48	166	.51	1.6
San Francisco.....	567,000	1,927	1.63	504	.80	1.8
Colorado:						
Denver.....	285,000			451	1.58	
Connecticut:						
Bridgeport.....		177		71		2.5
Hartford.....	164,000	209	1.27	98	.60	2.1
New Haven.....	182,000	225	1.24	81	.45	2.8
Waterbury.....		111		50		2.2
District of Columbia:						
Washington.....	528,000	1,134	2.15	532	1.01	2.1
Florida:						
Miami.....	131,000	272	2.08	87	.66	3.1
Tampa.....	102,000			106	1.04	
Illinois:						
Chicago.....	3,048,000			2,238	.73	
Indiana:						
Indianapolis.....	367,000			246	.67	
Iowa:						
Des Moines.....	146,000			69	.47	
Kansas:						
Kansas City.....	117,000	198	1.69			
Louisiana:						
New Orleans.....	419,000			658	1.57	
Maryland:						
Baltimore.....	808,000	1,389	1.72	775	.96	1.8
Massachusetts:						
Boston.....	787,000	1,720	2.19	684	.87	2.5
Cambridge.....	122,000	200	1.64	96	.79	2.1
Fall River.....	131,000	193	1.47	121	.92	1.6
Lowell.....		105		66		1.6
Lynn.....	104,000	131	1.26	33	.32	4.0
New Bedford.....		199		94		2.1
Somerville.....	100,000	105	1.05	31	.31	3.4
Springfield.....	145,000	148	1.02	69	.48	2.1
Worcester.....	193,000	211	1.09	122	.63	1.7
Michigan:						
Detroit.....	1,290,000	2,473	1.92	1,028	.80	2.4
Grand Rapids.....	156,000	136	.87	51	.33	2.7
Minnesota:						
Duluth.....	113,000			47	.42	
Minneapolis.....	434,000	950	2.19	190	.44	5.0
St. Paul.....	248,000	380	1.53	166	.67	2.3
Missouri:						
Kansas City.....	375,000			309	.82	
St. Louis.....	830,000	1,529	1.84	482	.58	3.2
New Jersey:						
Camden.....	131,000	184	1.40	55	.42	3.3
Elizabeth.....		147		47		3.1
Jersey City.....	318,000			230	.72	
Newark.....	459,000			368	.80	
Trenton.....	134,000	257	1.92	166	1.24	1.5

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes nonresidents.⁴ Includes 15 nonresidents.⁵ Includes 12 nonresidents.

Reported prevalence for the year 1926—Continued

TUBERCULOSIS (RESPIRATORY SYSTEM)—Continued

City	Estimated population, July 1, 1926	Cases reported, 1926	Cases per 1,000 inhabitants	Deaths registered, 1926	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York:						
Albany.....	119,000	218	1.83	135	1.13	1.6
Buffalo.....	544,000	803	1.48	245	.45	3.3
New York.....	5,924,000	10,498	1.77	4,828	.81	2.2
Rochester.....	321,000			121	.38	
Syracuse.....	185,000	¹ 222	¹ 1.20	68	.37	3.3
Yonkers.....	116,000	169	1.46	66	.57	2.6
Ohio:						
Akron.....				81		
Canton.....	110,000			39	.35	
Cincinnati.....	411,000	823	2.00	437	1.06	1.9
Cleveland.....	960,000	1,653	1.72	718	.75	2.3
Columbus.....	285,000			212	.74	
Dayton.....	177,000			110	.62	
Toledo.....	295,000			260	.88	
Youngstown.....	165,000	174	1.05	67	.41	2.6
Oregon:						
Portland.....				109		
Pennsylvania:						
Erie.....				78		
Philadelphia.....	2,008,000	2,709	1.35	1,739	.87	1.6
Pittsburgh.....	637,000	641	1.01	394	.62	1.6
Reading.....	114,000			59	.52	
Scranton.....	143,000	103	.72	90	.63	1.1
Rhode Island:						
Providence.....	275,000			113	.41	
Tennessee:						
Memphis.....	177,000	⁶ 630	⁶ 3.56	⁷ 205	⁷ 1.16	3.1
Nashville.....	137,000	476	3.47	192	1.40	2.5
Texas:						
Dallas.....	203,000			158	.78	
El Paso.....	109,000			¹ 376	¹ 3.45	
Fort Worth.....	159,000			59	.37	
Houston.....		420		206		2.0
Utah:						
Salt Lake City.....	133,000			71	.53	
Virginia:						
Richmond.....	189,000			164	.87	
Washington:						
Seattle.....		492		165		3.0
Spokane.....	109,000	73	.67	31	.28	2.4
Tacoma.....	106,000			33	.31	
Wisconsin:						
Milwaukee.....	517,000	816	1.58	295	.57	2.8
Total:						
37 cities.....	19,658,000	33,592	1.71	15,242	.78	2.2
61 cities.....	28,027,000			21,845	.78	
45 cities.....		35,441				
72 cities.....				23,940		

¹ Includes nonresidents.⁶ Includes 36 nonresidents.⁷ Includes 25 nonresidents.

Reported prevalence for the year 1926—Continued

TYPHOID FEVER

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	211,000	7	158	113	0.54	18	0.09	15.9
California:								
Los Angeles.....		7	141	94		13		13.8
Oakland.....	261,000	7	34	16	.06	2	.01	12.5
San Diego.....	110,000	7	9	8	.07	1	.01	12.5
San Francisco.....	567,000	7	71	38	1.07	14	.02	36.8
Colorado:								
Denver.....	285,000	7	72	56	.20	10	.04	17.9
Connecticut:								
Bridgeport.....		7	17	7		1		14.3
Hartford.....	164,000	7	25	13	.08	2	.01	15.4
New Haven.....	182,000	7	74	26	.14	4	.02	15.4
Waterbury.....		7	14	9		0		
Delaware:								
Wilmington.....	124,000	7	33	11	.09	1	.01	9.1
District of Columbia:								
Washington.....	528,000	7	153	90	.17	13	.02	14.4
Florida:								
Miami.....	131,000	5	20	89	.68	17	.13	19.1
Tampa.....	102,000	5	51	82	.80	25	.25	30.5
Georgia:								
Atlanta.....		7	93	177		46		26.0
Illinois:								
Chicago.....	3,048,000	7	234	149	.05	24	.01	16.1
Indiana:								
Indianapolis.....	367,000	7	46	39	.11	20	.05	51.3
Iowa:								
Des Moines.....	146,000					4	.03	
Kansas:								
Kansas City.....	117,000	6	35	20	.17	5	.04	25.0
Kentucky:								
Louisville.....	311,000	7	122	114	.37	17	.05	14.9
Louisiana:								
New Orleans.....	419,000	7	171	136	.32	36	.09	26.5
Maryland:								
Baltimore.....	808,000	7	200	158	.20	38	.05	24.1
Massachusetts:								
Boston.....	787,000	7	120	139	.18	14	.02	10.1
Cambridge.....	122,000	7	16	17	.14	6	.05	35.3
Fall River.....	131,000	7	45	19	.15	1	.01	5.3
Lowell.....		7	17	15		1		6.7
Lynn.....	104,000	6	18	34	.33	4	.04	11.8
New Bedford.....		7	18	12		1		8.3
Somerville.....	100,000	7	13	12	.12	1	.01	8.3
Springfield.....	145,000	7	13	5	.03	1	.01	20.0
Worcester.....	193,000	7	23	13	.07	1	.01	7.7
Michigan:								
Detroit.....	1,290,000	7	194	129	.10	28	.02	21.7
Flint.....	136,000	7	37	7	.05	1	.01	14.3
Grand Rapids.....	156,000	7	25	24	.15	2	.01	8.3
Minnesota:								
Duluth.....	113,000	7	20	10	.09	0		
Minneapolis.....	434,000	7	56	34	.08	6	.01	17.6
St. Paul.....	248,000	7	48	33	.13	3	.01	9.1
Missouri:								
Kansas City.....	375,000	7	68	42	.11	13	.03	31.0
St. Louis.....	830,000	7	178	138	.17	19	.02	13.8
Nebraska:								
Omaha.....	216,000	7	20	12	.06	4	.02	33.3
New Jersey:								
Camden.....	131,000	7	30	35	1.27	6	.05	17.1
Elizabeth.....		7	19	16		1		6.2
Jersey City.....	318,000	7	35	39	.12	6	.02	15.4
Newark.....	459,000	7	66	42	.09	7	.02	16.7
Paterson.....	143,000	7	21	17	.12	2	.02	11.8
Trenton.....	134,000	7	37	44	.33	9	.07	20.5

¹ Residents only.² Special census, Dec. 6, 1926.³ Includes 14 nonresidents.⁴ Includes 6 nonresidents.⁵ Nonresidents.⁶ Includes nonresidents.

Reported prevalence for the year 1926—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1926	Estimated expectancy		1926				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York:								
Albany.....	119,000	7	45	19	0.16	0		
Buffalo.....	544,000	7	80	88	.16	17	0.03	19.3
New York.....	5,924,000	7	899	913	.15	111	.02	12.2
Rochester.....	321,000	7	45	71	.22	13	.04	18.3
Syracuse.....	185,000	7	33	60	.16	2	.01	6.7
Utica.....	103,000	7	20	12	.12	0		
Yonkers.....	116,000	7	11	7	.06	0		
Ohio:								
Akron.....		7	26	27		3		11.1
Canton.....	110,000	7	13	8	.07	4	.04	50.0
Cincinnati.....	411,000	7	62	89	.22	11	.03	12.4
Cleveland.....	960,000	7	101	87	.09	14	.01	16.1
Columbus.....	285,000	7	42	31	.11	5	.02	16.1
Dayton.....	177,000	7	28	22	.12	4	.02	18.2
Toledo.....	295,000	7	61	56	.19	18	.06	32.1
Youngstown.....	165,000	7	44	12	.07	0		
Oklahoma:								
Oklahoma City.....		6	53	49		5		10.2
Oregon:								
Portland.....		7	47	39		8		20.5
Pennsylvania:								
Erie.....		7	25	11		1		9.1
Philadelphia.....	2,008,000	7	350	218	.11	38	.02	17.4
Pittsburgh.....	637,000	7	91	100	.16	17	.03	17.0
Reading.....	114,000	7	20	14	.12	3	.03	21.4
Scranton.....	143,000	7	11	20	.14	6	.04	30.0
Rhode Island:								
Providence.....	275,000	7	46	16	.06	2	.01	12.5
Tennessee:								
Memphis.....	177,000	7	240	223	1.26	34	.19	15.2
Nashville.....	137,000	7	110	250	1.82	48	.35	19.2
Texas:								
Dallas.....	203,000	7	93	60	.30	18	.09	30.0
El Paso.....	109,000	4	48	56	.51	10	.09	17.9
Fort Worth.....	159,000	7	28	105	.66	17	.11	16.2
Houston.....		6	45	37		15		40.5
San Antonio.....	205,000	7	48	56	.27	16	.08	28.6
Utah:								
Salt Lake City.....	133,000	7	39	42	.32	1	.01	2.4
Virginia:								
Norfolk.....	174,000	7	37	30	.17	3	.02	10.0
Richmond.....	189,000	7	71	62	.33	2	.01	3.2
Washington:								
Seattle.....		7	56	80		7		8.7
Spokane.....	109,000	7	26	29	.27	8	.07	27.6
Tacoma.....	106,000	7	19	22	.21	4	.04	18.2
Wisconsin:								
Milwaukee.....	517,000	7	34	28	.05	7	.01	25.0
Total:								
69 cities.....	29,410,000		5,395	4,779	.16	814	.03	17.0
70 cities.....	29,556,000					818	.03	
82 cities.....			5,966	5,352		916		17.1
83 cities.....						920		

* Includes nonresidents.

† Includes 79 nonresidents.

‡ Includes 15 nonresidents.

Reported prevalence for the year 1926—Continued

TYPHUS FEVER

City	Cases reported, 1926	Deaths registered, 1926	City	Cases reported, 1926	Deaths registered, 1926
Alabama:			New Jersey:		
Birmingham.....	1	0	Jersey City.....		1
California:			New York:		
Los Angeles.....	2	0	New York.....	12	0
Georgia:			Tennessee:		
Atlanta.....	6	0	Memphis.....	1	0
Illinois:			Texas:		
Chicago.....	2	1	El Paso.....	4	1
Maryland:					
Baltimore.....	9	1			

WHOOPIING COUGH

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Birmingham.....	211,000	188	499	2.36	52	0.25	9.6
California:							
Los Angeles.....		886	299		11		27.2
Oakland.....	261,000	154	506	1.94	10	.04	50.6
San Diego.....	110,000	459	167	1.52	6	.05	27.8
San Francisco.....	567,000	558	1,280	1.49	9	.02	31.1
Colorado:							
Denver.....	285,000	720	1,469	5.15	28	.10	52.5
Connecticut:							
Bridgeport.....		94	134		12		11.2
Hartford.....	164,000	275	246	1.50	5	.01	49.2
New Haven.....	182,000	419	336	1.85	8	.04	42.0
Waterbury.....		65	21		0		
Delaware:							
Wilmington.....	124,000	88	149	1.20	2	.02	74.5
District of Columbia:							
Washington.....	528,000	792	1,020	1.93	39	.07	26.2
Florida:							
Miami.....	² 131,000	² 16	315	2.40	0		
Tampa.....	102,000	15	24	.24	3	.03	8.0
Georgia:							
Atlanta.....		105	166		27		6.1
Illinois:							
Chicago.....	3,048,000	3,832	2,701	.89	84	.03	32.2
Indiana:							
Indianapolis.....	367,000	927	1,510	4.11	25	.07	60.4
Iowa:							
Des Moines.....	146,000				10	.07	
Kansas:							
Kansas City.....	117,000	372	304	2.60	4	.03	76.0
Kentucky:							
Louisville.....	311,000	205	242	.78	7	.02	34.6
Louisiana:							
New Orleans.....	419,000	240	153	.37	34	.08	4.5
Maryland:							
Baltimore.....	808,000	2,491	2,636	3.26	72	.09	36.6
Massachusetts:							
Boston.....	787,000	1,570	3,575	4.54	108	.14	33.1
Cambridge.....	122,000	508	774	6.34	17	.14	45.5
Fall River.....	131,000	185	217	1.66	19	.15	11.4
Lowell.....		76	66		0		
Lynn.....	104,000	154	337	3.24	8	.08	42.1
New Bedford.....		119	117		4		29.3
Somerville.....	100,000	98	182	1.82	1	.01	182.0
Springfield.....	145,000	198	322	2.22	10	.07	32.2
Worcester.....	193,000	299	362	1.88	6	.03	60.3
Michigan:							
Detroit.....	1,290,000	2,645	3,041	2.36	89	.07	34.2
Flint.....	136,000	282	608	4.47	21	.15	29.0
Grand Rapids.....	156,000	414	959	6.15	23	.15	41.7

¹ Residents only.² Special census, Dec. 6, 1926.³ Two years only.

Reported prevalence for the year 1926—Continued

WHOOPIING COUGH—Continued

City	Estimated population, July 1, 1926	Average, 1922-1925	1926				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Minnesota:							
Duluth.....	113,000	4178	279	2.47	1	0.01	279.0
Minneapolis.....	434,000	109	146	.34	28	.06	5.2
St. Paul.....	248,000	759	1,127	4.54	7	.03	161.0
Missouri:							
Kansas City.....	375,000	434	645	1.72	29	.08	22.2
St. Louis.....	830,000	1,079	1,250	1.51	70	.08	17.9
Nebraska:							
Omaha.....	216,000	75	88	.41	6	.03	14.7
New Jersey:							
Camden.....	131,000	82	112	1.85	14	.11	8.0
Elizabeth.....	211	123	123		5		24.6
Jersey City.....	318,000	94	64	.20	18	.06	3.6
Newark.....	459,000	2,023	1,382	3.01	16	.03	86.4
Paterson.....	143,000	347	214	1.50	2	.02	107.0
Trenton.....	134,000	131	88	0.66	5	0.04	17.6
New York:							
Albany.....	119,000	305	280	2.35	8	.07	35.0
Buffalo.....	544,000	1,030	1,065	1.96	28	.05	38.0
New York.....	5,924,000	5,588	3,487	.59	221	.04	15.8
Rochester.....	321,000	351	440	1.37	23	.07	19.1
Syracuse.....	185,000	408	1,686	9.11	26	.14	64.8
Utica.....	103,000	163	616	5.98	0		
Yonkers.....	116,000	141	62	.53	1	.01	62.0
Ohio:							
Akron.....	119,000	797	2,130		20		106.5
Canton.....	110,000	272	262	2.38	5	.05	52.4
Cincinnati.....	411,000	469	941	2.29	45	.11	20.9
Cleveland.....	960,000	2,197	3,607	3.76	105	.11	34.4
Columbus.....	285,000	223	279	.98	10	.04	27.9
Dayton.....	177,000	54	33	.19	15	.08	2.2
Toledo.....	295,000	690	1,633	5.54	16	.05	102.1
Youngstown.....	165,000	353	650	3.94	27	.16	24.1
Oklahoma:							
Oklahoma City.....		451	29		0		
Oregon:							
Portland.....		161	85		4		21.3
Pennsylvania:							
Erie.....		427	467		17		27.5
Philadelphia.....	2,008,000	2,583	2,019	1.01	97	.05	20.8
Pittsburgh.....	637,000	1,463	2,403	3.77	123	.19	19.5
Reading.....	114,000	337	395	3.46	3	.03	131.7
Scranton.....	143,000	158	106	.74	1	.01	106.0
Rhode Island:							
Providence.....	275,000	145	320	1.16	53	.19	6.0
Tennessee:							
Memphis.....	177,000	332	428	2.42	14	.08	30.6
Nashville.....	137,000	84	293	2.14	37	.27	7.9
Texas:							
Dallas.....	203,000	499	441	2.17	9	.04	49.0
El Paso.....	109,000	400	506	4.64	31	.28	16.3
Fort Worth.....	159,000		23	.14	9	.06	2.6
Houston.....					9		
San Antonio.....	205,000				12	.06	
Utah:							
Salt Lake City.....	133,000	484	1,581	11.89	16	.12	98.8
Virginia:							
Norfolk.....	174,000	4200	516	2.97	11	.06	46.9
Richmond.....	189,000	185	66	.35	15	.08	4.4
Washington:							
Seattle.....		806	250		5		50.0
Spokane.....	109,000	237	238	2.18	1	.01	238.0
Tacoma.....	106,000	148	161	1.52	5	.05	32.2
Wisconsin:							
Milwaukee.....	517,000	1,970	2,989	5.78	22	.04	135.9
Total:							
67 cities.....	29,046,000	44,884	55,832	1.92	1,854	.06	30.1
70 cities.....	29,556,000				1,885	.06	
80 cities.....			59,742				
83 cities.....					1,999		

1 Residents only.

4 Three years only.

5 Includes nonresidents.

10-100
10-100
10-100
10-100
10-100

10-100 10-100 10-100 10-100 10-100



